

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/22/2005 Revision date: 05/15/2019 Supersedes: 08/10/2017 Version: 7.1 VELTEK ASSOCIATES, INC.

SECTION 1: Identification

Identification

Product form : Mixture

Product name : DECON-HAND® Instant Hand Sanitizer

Product code SDS DH-98-01

Recommended use and restrictions on use 1.2.

Use of the substance/mixture Sanitizer

For professional use only

Supplier

Veltek Associates, Inc.

15 Lee Blvd

Malvern, PA 19355-1234 USA

Telephone: +1 610-644-8335 - Fax: +1 610-644-8336

E-mail: vai@sterile.com

In Canada distributed by: Canada Clean Room (CCR) 200 Terence Matthews

Kanata, ONT K2M 2C6, Canada Telephone: 888-595-8070

1.4. **Emergency telephone number**

Emergency number : CARECHEM 24: 1-215-207-0061

1-866-928-0789 (toll free) Canada: 1-800-579-7421 (toll free) Mexico: +52-55-5004-8763

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Flammable liquids Category 2

Serious eye damage/eye irritation Category 2

Skin sensitization, Category 1

Hazardous to the aquatic environment - Acute Hazard Category 3

Hazardous to the aquatic environment - Chronic Hazard Category 3

Full text of H statements : see section 16

H225 Highly flammable liquid and vapor

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

H402 Harmful to aquatic life

H412 Harmful to aquatic life with long lasting effects

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) H225 - Highly flammable liquid and vapor

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H402 - Harmful to aquatic life

H412 - Harmful to aquatic life with long lasting effects

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements (GHS US)

smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools.

05/15/2019 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing vapors.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear eye protection, protective gloves, protective clothing.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use alcohol resistant foam, Dry powder, carbon dioxide (CO2),

Water spray to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to an authorized waste collection point

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Ethanol	(CAS-No.) 64-17-5	50 - 70	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Water	(CAS-No.) 7732-18-5	30 - 40	Not classified
Glycerol	(CAS-No.) 56-81-5	< 1	Not classified
1,1',1"',1"'-Ethylenedinitrilotetrapropan-2-ol	(CAS-No.) 102-60-3	< 1	Eye Irrit. 2A, H319
Ethylacetate	(CAS-No.) 141-78-6	< 1	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
(R)-p-mentha-1,8-diene, d-limonene	(CAS-No.) 5989-27-5	<1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact

: Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion

: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth. Give 100 - 200 ml of water to drink. Obtain immediate medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms

: Causes serious eye irritation. May cause an allergic skin reaction. Ingestion may cause irritation of the gastrointestinal tract.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

05/15/2019 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. Dry powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor. Thermal decomposition can lead to release of irritating and

toxic gases and vapors.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Keep upwind. Exercise caution when fighting any chemical fire. Move containers from fire area

if you can do it without risk. Use water spray or fog for cooling exposed containers. Do not allow run-off from fire fighting to enter drains or water courses.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use

self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Remove ignition sources. Ventilate area. Avoid inhalation of vapors. Avoid contact with eyes.

Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use chemically protective clothing.

Emergency procedures : Remove ignition sources. Use only non-sparking tools. Ventilate area. Avoid inhalation of

vapors. Avoid contact with eyes.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if large amounts of the product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Use non-sparking tools. Absorb with earth, sand or other non-combustible material and transfer

to containers for later disposal.

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Provide good ventilation in process area to prevent formation of vapor. Avoid inhalation of

vapors. Avoid contact with eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial

hygiene and safety practice. Contaminated work clothing should not be allowed out of the

workplace.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Proper grounding procedures to avoid static electricity should be followed. Keep only in original container. Keep container closed when not in use. Store in a well-ventilated place.

Keep cool.

Incompatible materials : Acids. alkalis. Oxidizing agents. Peroxides. Combustible materials. Halogens. Metalls. Metallic

salts.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)		
ACGIH	Local name	Ethanol
ACGIH	ACGIH STEL (ppm)	1000 ppm

05/15/2019 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethanol (64-17-5)			
ACGIH	Remark (ACGIH)	URT irr	
ACGIH	Regulatory reference	ACGIH 2019	
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Glycerol (56-81-5)			
ACGIH	Local name	Glycerin mist	
ACGIH	Remark (ACGIH)	URT irr	
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)	
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Ethylacetate (141-78-6)			
ACGIH	Local name	Ethyl acetate	
ACGIH	ACGIH TWA (ppm)	400 ppm	
ACGIH	Remark (ACGIH)	URT & eye irr	
ACGIH	Regulatory reference	ACGIH 2019	
OSHA	OSHA PEL (TWA) (mg/m³)	1400 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	400 ppm	
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide good ventilation in process area to prevent formation of vapor. Ensure exposure is

below occupational exposure limits (where available).

Environmental exposure controls : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Not required for normal conditions of use

Eve protection:

Not required for normal conditions of use. Wear goggles or safety glasses with side shields if contact with the eyes is possible

Skin and body protection:

Wear lab coat or apron to prevent prolonged or repeated skin contact with areas of the body other than the hands. This product is for use on the hands only

Respiratory protection:

Not required for normal conditions of use

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Do not eat, drink or smoke during use.

05/15/2019 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear. gel.
Color : Colorless

Odor : Alcohol Citrus fruits
Odor threshold : No data available

pH : 6-8

Melting point : Not applicable
Freezing point : No data available
Boiling point : 173 °F (78 °C)

Flash point : 70 °F (21 °C) (Open cup)

: No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : 0.734 (Water = 1) Solubility : Water: Miscible Log Pow : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature : No data available Viscosity, kinematic : 5000 - 30000 cP Viscosity, dynamic **Explosion limits** : No data available

Explosive properties : Vapors may form explosive mixture with air.

Oxidizing properties : Not oxidizing.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7). Highly flammable liquid and vapor.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremely high or low temperatures. Avoid friction, sparks, or other means of ignition.

10.5. Incompatible materials

Acids. alkalis. Oxidizing agents. Peroxides. Metals. Combustible materials. Halogens. Metallic salts.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Hydrogen chloride. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Ethanol (64-17-5)	
LD50 oral, rat	10470 mg/kg
LC50 inhalation, rat (mg/l)	117 - 125 mg/l - 4 Hours

05/15/2019 EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Glycerol (56-81-5)		
LD50 oral, rat	12600 mg/kg	
LD50 dermal, rat	> 21900 mg/kg	
1,1',1"',1"'-Ethylenedinitrilotetrapropan-2-ol (1	02-60-3)	
LD50 oral, rat	2890 mg/kg	
LD50 dermal, rat	> 2000 mg/kg	
Ethylacetate (141-78-6)		
LD50 dermal, rabbit	> 20000 mg/kg	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)	
LD50 oral, rat	4400 mg/kg	
LD50 dermal, rat	> 2000 mg/kg	
Skin corrosion/irritation	: Not classified	
	pH: 6 - 8	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: 6 - 8	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	

l	(R)-p-mentha-1,8-diene, d-limonene (5989-27-5	5)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified Specific target organ toxicity – single exposure : Not classified

Ethylacetate ((141-78-6)
----------------	------------

Specific target organ toxicity – single exposure May cause drowsiness or dizziness.

Specific target organ toxicity – repeated

exposure

: Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential Adverse human health effects and

symptoms

: Causes serious eye irritation. May cause an allergic skin reaction. Ingestion may cause

irritation of the gastrointestinal tract.

SECTION 12: Ecological information

12.1. Toxicity

Ethanol (64-17-5)		
LC50 fish	11200 mg/l (calculated value)	
EC50 Daphnia	5012 mg/l (calculated value) (freshwater)	
EC50 Daphnia 2	857 mg/l (calculated value) (marine water)	
Glycerol (56-81-5)		
LC50 fish	> 1000 mg/l 96 Hours	
EC50 Daphnia	> 500 mg/l 24 Hours - Daphnia magna	
Ethylacetate (141-78-6)		
LC50 fish	230 mg/l - 96 Hours (Pimephales promelas)	
NOEC chronic fish	> 100 mg/l - 72 Hours (Desmodesmus subspicatus)	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
LC50 fish	0.619 - 0.796 mg/l 96 Hours - Pimephales promelas	
LC50 other aquatic organisms	35 mg/l 96 Hours - Oncorhynchus mykiss	

05/15/2019 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability

DECON-HAND® Instant Hand Sanitizer	
Persistence and degradability	May cause long-term adverse effects in the environment. D-Limonene is expected to undergo biodegradation under aerobic conditions, but it is not expected to undergo biodegradation under anaerobic conditions.

12.3. Bioaccumulative potential

DECON-HAND® Instant Hand Sanitizer	
Bioaccumulative potential	Not established.
Ethanol (64-17-5)	
Bioconcentration factor (BCF REACH)	3

(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)
Bioconcentration factor (BCF REACH)	660

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care. Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1170 Ethanol, 3, II

UN-No.(DOT) : UN1170
Proper Shipping Name (DOT) : Ethanol

Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : II - Medium Danger Hazard labels (DOT) : 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Special Provisions (49 CFR 172.102) : 24, IB2, T4, TP1

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b, 150

DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location : A
Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport document description : UN1170 ETHANOL (more than 24 per cent ethanol, by volume), 3, II

05/15/2019 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (TDG) : UN1170
Proper Shipping Name (Transportation of : ETHANOL

Dangerous Goods)

TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids

Packing group : II - Medium Danger

TDG Special Provisions : 150
Explosive Limit and Limited Quantity Index : 1 L
Passenger Carrying Road Vehicle or Passenger : 5 L

Carrying Railway Vehicle Index

Transport by sea

Transport document description (IMDG) : UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II

UN-No. (IMDG) : 1170

Proper Shipping Name (IMDG) : ETHANOL (ETHYL ALCOHOL)

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : II - substances presenting medium danger

EmS-No. (1) : F-A EmS-No. (2) : S-B

Air transport

Transport document description (IATA) : UN 1170 Ethanol, 3, II

UN-No. (IATA) : 1170
Proper Shipping Name (IATA) : Ethanol

Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

DECON-HAND® Instant Hand Sanitizer		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes	Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Skin corrosion or Irritation Health hazard - Respiratory or skin sensitization	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Ethylacetate (141-78-6)	
CERCLA RQ	5000 lb

15.2. International regulations

CANADA

Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

05/15/2019 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Ethanol(64-17-5)	U.S New Jersey - Right to Know Hazardous Substance List
Glycerol(56-81-5)	U.S New Jersey - Right to Know Hazardous Substance List
Ethylacetate(141-78-6)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date : 05/15/2019

Data sources : US OSHA HazCom (GHS) 25 May 2012.

Other information : The chemical classification under GHS requires that the basic active ingredient chemical, ethanol, must be based on single exposure as some individuals may be sensitive to the

chemical before using it for the first time. This product is registered under FDA NDC 64307-

001.

Full text of H-phrases:

text of Figure 3.		
H225	Highly flammable liquid and vapor	
H226	Flammable liquid and vapor	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	
H400	Very toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

Abbreviations and acronyms:

ACGIH (American Conference of Government Industrial Hygienists)	
ATE (Acute Toxicity Estimate)	
CAS (Chemical Abstracts Service) number	
EC50 (Effective Concentration 50%)	
IARC (International Agency for Research on Cancer)	
IATA (International Air Transport Association)	
IMDG (International Maritime Dangerous Goods Code)	
IMO (International Maritime Organisation)	
LC50 (Lethal Concentration 50%)	
LD50 (Lethal Dose 50%)	
OECD (Organisation for Economic Co-operation and Development)	
OSHA (Occupational Safety and Health Administration) (US)	
STEL (Short Term Exposure Limit)	
TSCA (Toxic Substances Control Act) (US)	
TWA (Time Weighted Average)	
UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)	

05/15/2019 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
	* - Chronic (long-term) health effects may result from repeated overexposure
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)

Personal protection :

G - Safety glasses, Gloves, Vapor respirator

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Indication of changes:

Physical

Section	Changed item	Change	Comments
1	Identification	Modified	
2	Hazards identification	Modified	
6	Accidental release measures	Modified	
7	Handling and storage	Modified	
8	Exposure controls / Personal protection equipment	Modified	
15	Regulatory information	Modified	
16	Other information	Modified	

SDS US (GHS HazCom 2012)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.

05/15/2019 EN (English US) 10/10