

# SAFETY DATA SHEET

**Revision Date** 03/10/2016

#### **REVISION NUMBER: 4**

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name

BLITZ, Drain Cleaner

Other means of identification Product code UN/ID No. Synonyms

100450 1814 NONE

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information available

#### Details of the supplier of the safety data sheet

Manufacturer Address Rochester Midland Corporation 155 Paragon Drive Rochester, New York 14624 USA

Importer Rochester Midland Limited 5353 John Lucas Drive Suite 103 Burlington, ON L7L 6G5 Canada

#### Emergency telephone number EMERGENCY TELEPHONE

INFOTRAC: 1-800-535-5053 OUTSIDE U.S.: +1-352-323-3500 CANUTEC: 613-996-6666

# 2. HAZARDS IDENTIFICATION

#### **Classification**

# OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1


#### Label elements

#### **Emergency Overview**

# DANGER

# Hazard statements

Harmful if swallowed Causes severe skin burns and eye damage May be corrosive to metals



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting Absorb spillage to prevent material damage

#### Precautionary Statements - Storage

Store locked up Store in corrosive resistant container

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC) No information available Other Information\_

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Potassium hydroxide	1310-58-3	36 min.	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures

General advice Immediately call a POISON CENTER or doctor/physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.	
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		

Note to physicians Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical No information available.

Explosion data Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

#### Protective equipment and precautions for firefighters

CORROSIVE MATERIAL. Avoid exposure to mist and splashes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Ensure adequate ventilation, especially in confined areas.	
Environmental precautions		
Environmental precautions	See Section 12 for additional ecological information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.	
7. HANDLING AND STORAGE		

#### Precautions for safe handling

Advice on safe handling DANGER: Concentrated, caustic material. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Addition of product to water will cause a rise in temperature. If added to water and allowed to concentrate in one area, or added too rapidly, or added to hot water, steam, spattering, or eruption of hot solution may result. Mix only with cool water. Keep off wood, painted surfaces, and floor coverings. Read and follow label instructions. Do not reuse container. Keep out of reach of children.

#### Conditions for safe storage, including any incompatibilities

.

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep/store only in original container. Empty containers may retain product residue, follow SDS/label precautions even after container is emptied.
Incompatible materials	May react violently with strong acids. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

# Exposure Guidelines

PRODUCT COMPOSITION	N	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup> -		-	
Appropriate engineering controls				
ENGINEERING CONTROLS			st as needed to meet expo ended. Showers. Eyewash	
Individual protection measures, suc	ch as persona	I protective equipment		
Eye/face protection	Goggles and	face shield are recommer	nded to minimize eye conta	ct.
Skin and body protection	Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.			
<b>RESPIRATORY PROTECTION</b>	None normally required.			
General Hygiene Considerations	Handle in ac	cordance with good indust	rial hygiene and safety prac	ctice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Clear Red No information available	Odor Odor threshold	Odorless No information available
Property	Values	Remarks • Method	
рН	14.0		
Melting point/freezing point	No information available		
Boiling point / boiling range	No information available		
Flash point	-	None to boiling.	
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	< 39	mm Hg @ 22.2 °C	
Vapor density	No information available		
Specific gravity	1.36		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		

Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Other Information	
Softening point	No information available
VOC (EPA METH.24) (G/L):	No information available

Density **Bulk density** 

ilable ilable No information available No information available

# **10. STABILITY AND REACTIVITY**

# REACTIVITY

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

#### Incompatible materials

May react violently with strong acids. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.

#### **Hazardous Decomposition Products**

Oxides of Carbon. Oxides of Nitrogen.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Product Information	Harmful if swallowed. Causes severe skin burns and eye damage.
Inhalation	Causes burns.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin contact	Causes burns.
Ingestion	Harmful if swallowed. Causes burns.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide	= 214 mg/kg (Rat)	-	-
1310-58-3			

### Information on toxicological effects

#### Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

#### **Reproductive Toxicity** STOT - single exposure STOT - repeated exposure Aspiration hazard

No information available. No information available. No information available. No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral)

1389 mg/kg

# **12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

36.001% of the mixture consists of components(s) of unknown hazards to the aquatic environment

# Persistence and degradability

No information available.

# **Bioaccumulation**

PRODUCT COMPOSITION	Partition coefficient
Potassium hydroxide	0.83
1310-58-3	

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

# **14. TRANSPORT INFORMATION**

DEPT. OF TRANSPORTATION	
UN/ID No.	1814
Proper shipping name	POTASSIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing Group	II
Description	1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.
-	· · · ·

### TDG

UN/ID No.	1814
Proper shipping name	POTASSIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing Group	II
Description	1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	No
FIRE HAZARD	No
Sudden release of pressure hazard	No
REACTIVE HAZARD	YES

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Potassium hydroxide 1310-58-3	1000	

# US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### **U.S. State Right-to-Know Regulations**

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Potassium hydroxide	1571	Listed	Listed
1310-58-3			
U.S. EPA Label Information			

#### EPA Pesticide Registration Number Not applicable

# **16. OTHER INFORMATION**

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical Properties -<u>HMIS</u> Health hazards 3 Flammability 0 Physical hazards 1 Personal protection C

Prepared By Revision Date Revision Note EH&S DEPARTMENT 03/10/2016

Revised the transportation classification in Section 14. **Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### \*\*\* END OF SDS \*\*\*