spectrum®

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

USE CARE: This material has been evaluated per GHS/OSHA criteria and is not classified as hazardous. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention.		Average Molecular Weight
	Polyethylene	Viscosity @ 98.9 ± 0.3°C (210°F) 25-32 cSt pH of a 5% Solution @ 25°C 4.5-7.5
	Glycol 1450	MAXIMUM LIMITS Residue on Ignition0.1% Elemental ImpuritiesAs reported
	(PEG-32)	Free Ethylene Oxide10 μg/g Free 1,4-Dioxane10 μg/g
	N.F.	Residual SolventsTo pass test
	CAS 25322-68-3 CAUTION: For manufacturing, processing or	FLUSHED WITH NITROGEN
KEEP FROM CHILDREN	repacking. Read and understand the label and Safety Data Sheet (SDS) prior to use.	WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov
	Chemical Emergency: (800)424-9300	
	www.SpectrumChemical.com	G 5/G11GHS ? Lot No. XQ####

Addition polymer of ethylene oxide and water.

Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave. New Brunswick, NJ 08901

West Coast Facility: 14422 S. San Pedro St. Gardena, CA 90248

732.214.1300

310.516.8000