



# SAFETY DATA SHEET

Revision Date 03/10/2016

REVISION NUMBER: 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product name** 105 TASK Foaming Disinfectant Cleaner

### Other means of identification

**Product code** 117660  
**UN/ID No.** 1950  
**Synonyms** NONE  
**Registration Number(s)** 706-65-527

### Recommended use of the chemical and restrictions on use

**Recommended Use** No information available.  
**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Manufacturer Address**  
See Distributor information.

**Distributor**  
Rochester Midland Corporation  
155 Paragon Drive  
Rochester, New York 14624 USA

### Emergency telephone number

**EMERGENCY TELEPHONE** INFOTRAC: 1-800-535-5053  
OUTSIDE U.S.: +1-352-323-3500  
CANUTEC: 613-996-6666

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)  
This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Serious eye damage/eye irritation	Category 2
Flammable Aerosols	Category 1

### Label elements

#### Emergency Overview

**DANGER**

#### **Hazard statements**

Causes serious eye irritation  
Extremely flammable aerosol



**Appearance** No information available

**Physical state** Aerosol Gas

**Odor** No information available

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Wear eye/face protection  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Do not spray on an open flame or other ignition source  
 Pressurized container: Do not pierce or burn, even after use

**Precautionary Statements - Response**

Call a POISON CENTER or doctor/physician if you feel unwell  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention

**Precautionary Statements - Storage**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

**Hazards not otherwise classified (HNOC)**

No information available

**Other Information**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
2-Butoxyethanol	111-76-2	2.5 - 10	*
Butane	106-97-8	1 - 2.5	*
Tetrasodium EDTA	64-02-8	1 - 2.5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES**

**First aid measures**

**General advice** Call a POISON CENTER or doctor/physician if you feel unwell.

**Eye contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Skin contact** IF ON SKIN: Wash with soap and water.

**Inhalation** IF INHALED: Remove to fresh air.

**Ingestion** IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Water.

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire.

**Specific hazards arising from the chemical**

EXTREMELY FLAMMABLE. Pressurized container may explode when exposed to heat or flame.

**Explosion data**

**Sensitivity to Mechanical Impact** NONE.

**Sensitivity to Static Discharge** NONE.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk. Cool exposed containers with water spray. In the event of fire and/or explosion do not breathe fumes. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal Protection. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate affected area. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

**Environmental precautions**

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so. Stop the flow of gas or remove cylinder to outdoor location if this can be done without risk. If leak is in container or container valve, contact the appropriate emergency telephone number in Section 1. Isolate area until gas has dispersed.

**Methods for cleaning up** Following product recovery, flush area with water.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Contents under pressure. Never pierce, drill, grind, cut, saw or weld any empty container. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used when handling the product must be grounded. Do not reuse container. Avoid contact with eyes, skin and clothing. Avoid prolonged contact. Use only in well-ventilated areas. Use personal protection recommended in Section 8. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Protect from sunlight. Store at temperatures not exceeding 50 °C/ 122 °F. Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Observe proper grounding procedures to prevent fire hazard from static accumulation and discharge. Store in a cool, dry location away from incompatible materials.

**Incompatible materials** Acids. Oxidizing materials.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	S* (vacated) S* (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> TWA: 50 ppm TWA: 240 mg/m <sup>3</sup>	700 ppm
Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	-

**Appropriate engineering controls**

**ENGINEERING CONTROLS** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Safety glasses are recommended to minimize eye contact.

**Skin and body protection** Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

**RESPIRATORY PROTECTION** Use approved NIOSH respiratory protection if TLV/PEL exceeded or if over exposure is likely.

**General Hygiene Considerations** When using do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical state</b>	Aerosol Gas	<b>Odor</b>	No information available
<b>Appearance</b>	No information available	<b>Odor threshold</b>	No information available
<b>Color</b>	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	Unknown	
<b>Melting point/freezing point</b>	No information available	
<b>Boiling point / boiling range</b>	100 °C / 212 °F	
<b>Flash point</b>	-104.4 °C / -156.0 °F	Estimated for propellant
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit:</b>	No information available	
<b>Lower flammability limit:</b>	No information available	

Vapor pressure	3604 - 4639	mm Hg @ 20°C
Vapor density	No information available	
Specific gravity	0.979	
Water solubility	No information available	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

**Other Information**

Softening point	No information available
VOC (EPA METH.24) (G/L):	No information available
Density	No information available
Bulk density	No information available

## 10. STABILITY AND REACTIVITY

**REACTIVITY**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**CONDITIONS TO AVOID**

Extremes of temperature and direct sunlight. Heat, flames and sparks. Incompatible materials.

**Incompatible materials**

Acids. Oxidizing materials.

**Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

<b>Product Information</b>	Serious eye damage/eye irritation.
<b>Inhalation</b>	No data available.
<b>Eye contact</b>	Severely irritating to eyes.
<b>Skin contact</b>	Prolonged contact may lead to irritation and dermatitis.
<b>Ingestion</b>	Large amounts may cause irritation, nausea, diarrhea.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 220 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h
Butane 106-97-8	-	-	= 658 g/m <sup>3</sup> ( Rat ) 4 h
Tetrasodium EDTA 64-02-8	= 1658 mg/kg ( Rat )	-	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

PRODUCT COMPOSITION	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3	-	-

**Reproductive Toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information**

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol 111-76-2	-	2950: 96 h Lepomis macrochirus mg/L LC50 1490: 96 h Lepomis macrochirus mg/L LC50 static	1000: 48 h Daphnia magna mg/L EC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	-

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

PRODUCT COMPOSITION	Partition coefficient
2-Butoxyethanol 111-76-2	0.81
Butane 106-97-8	2.89

**Other adverse effects** No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container. Pressurized container: Do not pierce or burn, even after use.

**14. TRANSPORT INFORMATION**

**DEPT. OF TRANSPORTATION**

**UN/ID No.** 1950  
**Proper shipping name** AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)  
**Hazard Class** 2.1  
**Description** 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

**TDG**

**UN/ID No.** 1950  
**Proper shipping name** AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)  
**Hazard Class** 2.1  
**Description** 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

**15. REGULATORY INFORMATION**

**International Inventories**

**TSCA** Complies  
**DSL/NDL** Complies  
**EINECS/ELINCS** Complies  
**ENCS** Does not Comply  
**IECSC** Complies  
**KECL** Does not Comply  
**PICCS** Complies  
**AICS** Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	1.0

**SARA 311/312 Hazard Categories**

**ACUTE HEALTH HAZARD** YES  
**CHRONIC HEALTH HAZARD** No  
**FIRE HAZARD** YES  
**Sudden release of pressure hazard** YES  
**REACTIVE HAZARD** No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
2-Butoxyethanol 111-76-2	0275	Listed	Listed
Butane 106-97-8	0273	Listed	Listed

**U.S. EPA Label Information**

EPA Pesticide Registration Number 706-65-527

**EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**EPA Pesticide Label**

CAUTION

Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with eyes, skin or clothing. Harmful if inhaled. Avoid breathing vapor or spray mist.

**16. OTHER INFORMATION**

**NFPA**

Health hazards 1

Flammability 4

Instability 0

Physical and Chemical Properties -

**HMIS**

Health hazards 1

Flammability 4

Physical hazards 0

Personal protection B

Revision Date 03/10/2016

**Revision Note**

Revised the transportation classification in Section 14.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

\*\*\* END OF SDS \*\*\*