



Revision Date 11/28/2018

Product identifier

REVISION NUMBER: 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name	BREAK-THRU			
Other means of identification	1			
Product code	120100			
UN/ID No.	3266			
Synonyms	None			
Recommended use of the ch	emical and restrictions on use			
Recommended Use	Cleaning agent.			
Uses advised against	No information available			
Details of the supplier of the safety data sheet				

Manufacturer Address Rochester Midland Corporation 155 Paragon Drive Rochester, New York 14624 USA

Importer Rochester Midland Canada Corporation 5353 John Lucas Drive Suite 103 Burlington, ON L7L 6G5 Canada

Emergency telephone number EMERGENCY TELEPHONE

INFOTRAC: 1-800-535-5053 OUTSIDE U.S.: +1-352-323-3500 CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.


Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements Causes severe skin burns and eye damage May be corrosive to metals



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up Store in corrosive resistant container

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available **Other Information**

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
2-Butoxyethanol	111-76-2	3 - 7	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES				
First aid measures				
General advice	Immediately call a POISON CENTER or doctor/physician.			
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.			
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.			
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for			

breathing. Immediately call a POISON CENTER or doctor/physician.				
Ingestion	IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.			
Most important symptoms and e	ffects, both acute and delayed			
Symptoms	No information available.			
Indication of any immediate med	lical attention and special treatment needed			
Note to physicians	Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media Use extinguishing measures that a	re appropriate to local circumstances and the surrounding environment.			
Unsuitable extinguishing me	dia Caution: Use of water spray when fighting fire may be inefficient.			
Specific hazards arising from the No information available.	e chemical			
<u>Explosion data</u> Sensitivity to Mechanical Imp Sensitivity to Static Discharg				
Protective equipment and precate Firefighters should wear self-conta	utions for firefighters ined breathing apparatus and full firefighting turnout gear. Cool exposed containers with water			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective	equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas.			
Environmental precautions				
Environmental precautions	See Section 12 for additional ecological information.			
Methods and material for contain	nment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.				

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingAlkaline liquid. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors.
Read and follow label instructions. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep/store only in
original container.Incompatible materialsAvoid contact with:. Acids. Strong alkalies. Strong oxidents, such as nitric acid, or
hypochlorites.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

PRODUCT COMPOSITIO	N	ACGIH TLV	OSHA PEL	NIOSH IDLH	
2-Butoxyethanol 111-76-2		TWA: 20 ppm	S* (vacated) S* (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ TWA: 50 ppm TWA: 240 mg/m ³	700 ppm	
Appropriate engineering controls					
ENGINEERING CONTROLS	EERING CONTROLS General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Showers. Eyewash stations.				
Individual protection measures, su	ch as personal	protective equipmen	t		
Eye/face protection	Wear safety glasses or goggles to protect against exposure.				
Skin and body protection	Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.				
RESPIRATORY PROTECTION	None normally required. Use NIOSH approved organic vapor respirator as needed if spray mist or vapors exceed PEL or TLV.				
General Hygiene Considerations	s Handle in accordance with good industrial hygiene and safety practice.				

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

.

Physical state	Liquid		
Appearance	Clear Yellow Green	Odor	Floral scent.
Color	Yellow Green	Odor threshold	No information available
Property	Values	Remarks • Method	
pH	12.5	+/- 0.5	
Melting point/freezing point	No information available		
Boiling point / boiling range	100 °C / 212 °F		
Flash point	-	None to boiling.	
Evaporation rate	No information available	-	
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure No information available			
Vapor density	No information available		
Specific gravity	1.01 - 1.03		
Water solubility	No information available		
Solubility in other solvents No information available			
Partition coefficient No information available			
Autoignition temperature No information available			
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			

Softening point VOC (EPA METH.24) (G/L): Density Bulk density No information available 54.5 8.5 lbs/gal (1.02 kg/l) No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

Incompatible materials

Avoid contact with: Acids. Strong alkalies. Strong oxidents, such as nitric acid, or hypochlorites.

Hazardous Decomposition Products

Oxides of Carbon. Oxides of Phosphorus.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Pr	oduct Information	Causes severe skin burns and eye damage.
	Inhalation	Causes burns.
	Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
	Skin contact	Causes burns.
	Ingestion	Causes burns.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 220 mg/kg (Rabbit)	= 450 ppm (Rat)4 h

Information on toxicological effects

Symptoms

Ρ

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informatic No informatic The table bel	on available.	er each agency has	listed any ingredier	nt as a carcinogen.
PRODUCT COMPOSITION	ACGIH IARC NTP OSHA				OSHA
2-Butoxyethanol		A3	Group 3	-	-
111-76-2					
Reproductive Toxicity STOT - single exposure	No information available. No information available.				
STOT - repeated exposure Aspiration hazard	No information available. No information available.				

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	7731 mg/kg
ATEmix (dermal)	19856 mg/kg
ATEmix (inhalation-dust/mist)	28.5 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

4.28% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol 111-76-2	-	2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
		1490: 96 h Lepomis macrochirus mg/L LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

PRODUCT COMPOSITION	Partition coefficient
2-Butoxyethanol	0.81
111-76-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

14. TRANSPORT INFORMATION

DEPT. OF TRANSPORTATION UN/ID No. Proper shipping name Hazard Class Packing Group Description	3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM SILICATE) 8 III 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.
TDG	

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	1.0
SARA 311/312 Hazard Categories	

ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	No
FIRE HAZARD	No
Sudden release of pressure hazard	No
REACTIVE HAZARD	YES

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
2-Butoxyethanol	0275	Listed	Listed
111-76-2			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA_ Health hazards 2 Flammability 0 Instability 0 Physical and Chemical Properties -<u>HMIS</u> Health hazards 2 Flammability 0 Physical hazards 0 Personal protection B

Prepared ByEH&S DEPARTMENTRevision Date11/28/2018Revision NoteIncreaseMinor revisions for Canadian GHS compliance.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***