



SAFETY DATA SHEET

Preparation Date: 02/27/2015 Revision Date: 11/9/2018 Revision Number: G3

1. IDENTIFICATION

Product identifier

Product code: E1022

Product Name: 2-(2-ETHOXYETHOXY)ETHANOL, REAGENT

Other means of identification

Carbitol; Diethylene Glycol Monoethyl Ether; Diethylene Glycol Ethyl Ether; Synonyms:

> Diethylene Gylcol Monoethyl Ether; Diglycol monoethyl ether; 3,6-Dioxa-1-octanol; Dioxitol; Dowanol 17; Dowanol DE; Ektasolve DE; Carbitol; Monoethyl ether of diethylene glycol; Solvolsol; Transcutol; Ethyl carbitol; Ethyl diethylene glycol;

Ethyl digol

CAS #: 111-90-0 RTECS# KK8750000 Not available CI#:

Recommended use of the chemical and restrictions on use

No information available. Recommended use: No information available Uses advised against

Supplier: Spectrum Chemical Mfg. Corp

> 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Chemtrec 1-800-424-9300 Emergency telephone number Martin LaBenz (West Coast) **Contact Person: Contact Person:** Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Serious eye damage/eye irritation	Category 2B
Flammable liquids	Category 4

Label elements

Warning

Hazard statements Causes eye irritation Combustible liquid

Product code: E1022 **Product name:** 2-(2-ETHOXYETHOXY)ETHANOL,

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Causes mild skin irritation

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking Wear protective gloves
Wear eye/face protection

Precautionary Statements - Response

In case of fire: Use CO2, dry chemical, or foam to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
2-(2-Ethoxyethoxy)ethanol	111-90-0	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Causes eye irritation

Mild eye irritation Mild skin irritation

Indication of any immediate medical attention and special treatment needed

Product code: E1022 **Product name:** 2-(2-ETHOXYETHOXY)ETHANOL,

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or

foam.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter

and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon Monoxide, Carbon Dioxide.

Specific hazards: Combustible material. May be ignited by heat, sparks or

flames. Container explosion may occur under fire conditions or when heated. Vapors may form explosive

mixtures with air.

Special Protective Actions for Firefighters

Specific Methods: Water mist may be used to cool closed containers. For

larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out. Dike fire-control water for later disposal; do not scatter the

material.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid

contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. All equipment used when handling the product must be grounded. Use

spark-proof tools and explosion-proof equipment.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Stop leak if you can do it without risk. Absorb spill with inert material (e.g. **Methods for containment**

vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far

ahead of liquid spill for later disposal.

Use appropriate tools to put the spilled material in a suitable chemical waste Methods for cleaning up

disposal container. Use only non-sparking tools. Clean contaminated surface

thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Hygroscopic. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Store in a segregated and approved area.

Incompatible Materials:

Acids

Organic materials

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
2-(2-Ethoxyethoxy)etha	111-90-0	None	None	None	25 ppm TWA
nol					

Canada

Product code: E1022 **Product name:** 2-(2-ETHOXYETHOXY)ETHANOL,

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
2-(2-Ethoxyethoxy)etha nol	111-90-0	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
2-(2-Ethoxyethoxy)ethanol	111-90-0	None	None

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Provide exhaust ventilation or

other engineering controls to keep the airborne

concentrations of vapors and mist below their respective

5/12

threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Skin and body protection: Chemical resistant apron

Long sleeved clothing

Gloves

Respiratory protection: Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color:

Liquid No information available. Colorless. Clear.

Odor:TasteFormula:Fruity. Characteristic. Pleasant. Slight. Bitter.C6H14O3

Molecular/Formula weight (g/mole): Flammability: Flashpoint (°C/°F):

134.18 No information available 91°-96°C/195.8°-204.8°F

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%):

Closed cup 204°-218°C/399.2°-424.4°F 1.2

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

23.5 -10°C/14°F No information available

Boiling point/range(°C/°F): Bulk density: Density (g/cm3): 196°-197°C/384.8°-386.6°F No information available

Specific gravity: pH: Vapor pressure @ 20°C (kPa):

0.99 No information available 1.76 kPa @ 25°C

Evaporation rate:

Product code: E1022 Product name:

No information available Vapor density: VOC content (g/L):

4.62

No information available

Viscosity:

Odor threshold (ppm): Partition coefficient

No information available (n-octanol/water): No information available

-0.54 to -0.8

Miscibility: Solubility:

Miscible with BenzeneSoluble in AcetoneMiscible with ChloroformSoluble in cold waterMiscible with EthanolSoluble in diethyl ether

Miscible with Pyridine

10. STABILITY AND REACTIVITY

Reactivity

Reactive with acids

Reactive with oxidizing agents

Chemical stability

Stability: Hygroscopic. Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

<u>Conditions to avoid:</u> Heat. Ignition sources. Incompatible materials. Exposure to moisture.

Incompatible Materials: Acids

Organic materials

Hazardous decomposition

products:

No information available.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Eyes. Skin.

Acute Toxicity

Component Information

2-(2-Ethoxyethoxy)ethanol

CAS-No. 111-90-0

LD50/oral/rat = = 10502 mg/kg Oral LD50 Rat

LD50/oral/mouse = 6600 µL/kg Oral LD50 Mouse

LD50/dermal/rabbit = 4200 µL/kg Dermal LD50 Rabbit; 9143 mg/kg

LD50/dermal/rat = 6 mL/kg Dermal LD50 Rat

LC50/inhalation/rat = 5240 mg/m³ Inhalation LC50 Rat 4 h

Product code: E1022 Product name: 2-(2-ETHOXYETHOXY)ETHANOL, REAGENT

LC50/inhalation/mouse = No information available Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 10502 mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = 6600 µL/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = 4200 µL/kg

LD50/dermal/rat

VALUE -Acute Tox Dermal = 6 ml/kg

LC50/inhalation/rat

VALUE-Vapor = 5240 mg/m³ (4-hr)
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

Product code: E1022

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Mild skin irritation. It may be absorbed through the skin. If absorbed through the

skin it may affect behavior/central nervous system and cause central nervous

system effects.

Eye Contact: Causes eye irritation. Mild eye irritation.

Inhalation May cause irritation of respiratory tract. It may affect the liver.

Ingestion May cause digestive (gastointestinal) tract irritation. May affect brain,

behavior/central nervous system (ataxia, somnolence, general anesthetic, excitation, central nervous system inhibition, motor coordinator disorder.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Chronic exposure may affect the liver, kidneys, and blood.

Sensitization: No information available.

Mutagenic Effects: Experiments with bacteria and/or yeast have shown mutagenic effects

May affect genetic material

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable	Australia - Prohibited
			Guromogens		ouromogens	Carcinogenic	Carcinogenic

						Substances	Substances
2-(2-Ethoxyethoxy)ethanol	111-90-0	Not listed					

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: May cause adverse reproductive effects based on animal data

Developmental Effects:No information available **Teratogenic Effects:**No information available

Specific Target Organ Toxicity

STOT - single exposure STOT - repeated exposure Target Organs: No information available. No information available. Kidneys. Liver. Blood.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

2-(2-Ethoxyethoxy)ethanol - 111-90-0

Freshwater Fish Species Data: 10000 mg/L LC50 Lepomis macrochirus 96 h static 1 19100 - 23900 mg/L LC50

Lepomis macrochirus 96 h flow-through 1 11400 - 15700 mg/L LC50

Oncorhynchus mykiss 96 h flow-through 1 11600 - 16700 mg/L LC50 Pimephales promelas 96 h flow-through 1 13400 mg/L LC50 Salmo gairdneri 96 h flow-through

1

Water Flea Data: 3940 - 4670 mg/L EC50 Daphnia magna 48 h

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

	Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
2-	(2-Ethoxyethoxy)ethanol	111-90-0	None	None	None	None

14. TRANSPORT INFORMATION

Product code: E1022 Product name: 2-(2-ETHOXYETHOXY)ETHANOL, REAGENT

DOT

UN-No: Not Regulated

Proper Shipping Name: No information available Hazard Class: No information available Subsidiary Class No information available Packing group: No information available Emergency Response Guide No information available

Number

Marine PollutantNo data availableDOT RQ (lbs):No information availableSpecial ProvisionsNo Information availableSymbol(s):No information availableDescription:No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant
Description:
No information available

ADR

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
No information available

IMO / IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant

No information available
No information available
No information available
No information available

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:

No information available
No information available
No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:

No information available
No information available
No information available

IATA

UN-No: Not Regulated

Proper Shipping Name: No information available Hazard Class: No information available

Product code: E1022 Product name: 2-(2-ETHOXYETHOXY)ETHANOL, REAGENT

Subsidiary Risk:No information availablePacking Group:No information availableERG Code:No information availableSpecial ProvisionsNo information available

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
2-(2-Ethoxyethoxy)eth	111-90-0	PresentACTIV	Present	Present	Present	Present	Present	Present
anol		E	KE-10467		(7)-97,(2)-422			203-919-7

U.S. Regulations

2-(2-Ethoxyethoxy)ethanol

Minnesota - Hazardous Substance List: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
2-(2-Ethoxyethoxy)ethanol	111-90-0	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
2-(2-Ethoxyethoxy) ethanol	111-90-0	None	None	None	None	None

U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
2-(2-Ethoxyethoxy)ethanol	111-90-0	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component 2-(2-Ethoxyethoxy)ethanol 111-90-0 (100) WHMIS 2015 Hazard Classification Flammable liquids - Category 4: H227 Combustible liquid.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous

Product name: 2-(2-ETHOXYETHOXY)ETHANOL, REAGENT

Components	WHMIS Ingredient Disclosure List -
2-(2-Ethoxyethoxy)ethanol	1 %

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)	
2-(2-Ethoxyethoxy)ethanol	111-90-0	Present	Not Listed	

Components	CAS-No.	CEPA Schedule I - Toxic Substances
2-(2-Ethoxyethoxy)ethanol	111-90-0	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
2-(2-Ethoxyethoxy)ethanol	111-90-0	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
2-(2-Ethoxyethoxy)ethanol	111-90-0	No information

EU - CLP (1272/2008)

R-phrase(s)

R36 - Irritating to eyes.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S39 - Wear eye/face protection.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
2-(2-Ethoxyethoxy)ethan ol	111-90-0		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Xi - Irritant.

16. OTHER INFORMATION

Preparation Date: 02/27/2015
Revision Date: 11/9/2018
Prepared by: Sonia Owen

Disclaimer: All chemicals may pose unknown hazards and should be used with caution. This

Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular

Product code: E1022 Product name: 2-(2-ETHOXYETHOXY)ETHANOL.

purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet