


# TSX Universal Series ultra low temperature freezers



#### Introduction

We are committed to designing our products with the environment in mind. This fact sheet provides the rationale behind the environmental claim that Thermo Scientific™ TSX™ Universal Series ultra low temperature (ULT) freezers meet ENERGY STAR criteria and are more energy efficient than some conventional-refrigerant freezer models, while delivering superior total performance for temperature management and reliability.

# **Product description**

The TSX Universal Series ULT freezers (Figure 1) feature our next-generation Universal V-drive adaptive control technology, designed to minimize energy consumption without sacrificing sample security. While conventional ULT freezers use single-speed compressors that continually cycle on and off, the V-drive runs the compressors at variable speeds, adjusting cooling performance to the cooling demands inside and outside the freezer. When conditions are stable, the V-drive controls the system at low speed, which helps reduce energy consumption while maintaining a stable temperature for sample protection. When there are frequent door openings or samples being added to the freezer, the system detects the activity and increases the drive speed (Figure 2).



Figure 1. TSX Universal Series ULT freezer. Available in four sizes, the smallest unit, the TSX40086, shown here, can hold up to 400 boxes in a 8.21 sq. ft. footprint, while the largest unit, the TSX70086 freezer, can hold up to 700 boxes in an 14.26 sq. ft. footprint.

In addition to these energy-saving features, TSX Series freezers use non-hydrofluorocarbon (non-HFC) refrigerants, which help reduce environmental impact and further increase cooling efficiency. HFC refrigerants have been identified by the U.S. Environmental Protection Agency [1] and European Commission [2] as powerful greenhouse gases with significant global warming potential. Thermo Fisher has phased out use of these refrigerants in our freezers and refrigerators in favor of using more environmentally friendly hydrocarbon alternatives. Also, the foam insulation is water-blown, which helps reduce the chemical emissions and outgassing that are common with other foam products.

Our commitment to environmental responsibility doesn't end there. Our freezers and refrigerators are manufactured in a facility that has achieved zero waste to landfill, meaning that more than 90% of the waste generated at our manufacturing site is diverted from landfill. Finally, the TSX Universal Series ULT freezers operate at 43.6–49.8 dB, a noise level similar to that of a library [3]; this allows them to be located conveniently inside the lab.



**Figure 2. Adaptive control of cooling.** The V-drive technology featured in TSX Series freezers is designed to detect conditions such as multiple door openings and adjust to a higher compressor speed when required.

#### Green feature

## More energy efficient

TSX Universal Series ULT freezers are among the 26 TSX freezer models that have earned ENERGY STAR certification. The ENERGY STAR mark is the U.S. government–backed symbol for energy-efficient choices. The certification program aims to provide simple, credible, and unbiased information to help consumers and businesses make well-informed purchasing decisions. The U.S. Environmental Protection Agency ensures each qualified product is independently certified to deliver expected quality, performance, and savings.

TSX Universal ULT freezers not only meet ENERGY STAR requirements but also offer greater energy efficiency than some conventional-refrigerant freezers. For example, the TSX40086FA model uses 15% less energy compared to the Eppendorf™ F570h freezer to operate at -80°C; the TSX60086FA model uses 43% less energy than the Eppendorf™ F740hi freezer (Table 1). Power consumption (kW) for each model is based on either ENERGY STAR specifications or manufacturer-published specifications with the temperature set to -80°C.Power consumption was measured for a 24-hour span to determine daily energy usage (kWh/day). Measurements were conducted at ambient temperature, similar to typical laboratory conditions. The "energy use reduction" percentage represents the energy efficiency gain when switching to the specified TSX model from the model shown. Choosing the TSX40086FA freezer over the Eppendorf F570h freezer would help save more than 526 kWh of energy over the course of a year, representing 0.23 metric tons of CO<sub>2</sub> equivalents [4] and annual savings of approximately \$67 [5].

TSX Universal ULT freezers are designed to meet the highest protection and sustainability standards. While some ULT freezer designs from other suppliers may further minimize energy consumption, they do so at the expense of critical performance factors—including cabinet temperature variation and door opening recovery—thereby compromising sample protection. TSX Universal ULT freezers deliver exceptional total performance and strike a balance that optimizes sustainability, reliability, and temperature management to provide sample protection as well as energy efficiency benefits.

Additional energy savings can be obtained by running the TSX Universal freezers at a -70°C set point (4.9 kWh/day for the TSX40086FA model and 5.1 kWh/day for the TSX60086FA model—22–42% additional energy savings when compared to the -80°C set point). Beyond these benefits, TSX Universal ULT freezers emit less heat into the room, which may help lower heating, ventilation, and air conditioning (HVAC) costs. In total, these benefits represent a win for our customers, our company, and the planet.



# Table 1. Comparison of energy usage between TSX Universal ULTs and conventional freezers operating at -80°C.\*

Freezer model	Power usage (kWh/ cu. ft./day)	Daily energy usage (kWh/day)	Energy use reduction	Annual CO₂ equivalents (metric tons)	**Average annual operational cost
TSX40086FA	0.36	8.4	15%	1.3	\$386
Eppendorf F570h	0.41	9.84		1.5	\$453
TSX60086FA	0.27	6.48	43%	1.0	\$298
Eppendorf F740hi	0.47	11.28		1.7	\$519

<sup>\*</sup> energystar.gov/productfinder/product/certified-lab-grade-refrigeration/details/3417896, energystar.gov/productfinder/product/certified-lab-grade-refrigeration/details/2376235, energystar.gov/productfinder/product/certified-lab-grade-refrigeration/details/3417884, energystar.gov/productfinder/product/certified-lab-grade-refrigeration/details/2319106.

### References

- 1. U.S. Environmental Protection Agency. SNAP program. epa.gov/snap
- 2. European Commission. Fluorinated greenhouse gases. ec.europa.eu/clima/policies/f-gas\_en
- 3. IAC Acoustics. Comparative examples of noise levels. industrialnoisecontrol.com/comparative-noise-examples.htm

- U.S. Environmental Protection Agency. Greenhouse Gas Equivalencies Calculator. epa.gov/energy/greenhouse-gas-equivalencies-calculator
- Based on an energy rate of \$0.1260 as reported by the United States Energy Information Administration as the national average commercial rate. eia.gov/electricity/ monthly/epm\_table\_grapher.cfm?t=epmt\_5\_6\_a



Find out more at thermofisher.com/tsxuniversal



<sup>\*\*</sup> Based on \$0.1260 current commercial energy cost from EPA.