


DWK Life Sciences KIMAX Low Form Griffin Beakers



- Description** • KIMAX Low Form Griffin glass beakers offer excellent mechanical strength and durability, while providing high resistance to chemical attack and thermal shock
- Thick, slightly flared, beaded top, with a spout designed to have excellent pouring characteristics
 - Improved mechanical and thermal properties result from the uniform sidewall and bottom thickness design
 - Suitable for use on a hotplate
 - All sizes have a durable matte finish marking area for use with an ordinary pencil
 - Easy-to-read white graduated scale for measuring and/or mixing liquids is provided on all sizes from 20 to 4000 mL
 - Ref: ASTM Method D2070
 - Design meets ASTM Specification E960, Type I requirements
 - Manufactured from 33 expansion, low extractable borosilicate glass conforming to USP Type I and ASTM E438, Type I, Class A requirements
 - Starter Pack (Cat. No. 985-11017) contains one each of the following sizes: 50, 100, 250, 600 and 1000 mL.

Image(s) are representative of the product group and not necessarily the individual product.

Order	28-Apr-2024 17:18: PM PDT		PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.				
Catalog	Item	Availability	Manufacturer	Mfg. Part #	NDC#	Your Price	Unit
985-10810-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Beakers, 10 mL - 1 ea Capacity (mL): 10 Graduation Range (mL): n/a Subdivisions (mL): n/a Height (mm): 25 x 34 Body O.D. (mm): 25 Lip O.D. (mm): 28 	Sign In	DWK Life Sciences (Kimble)	14000-10			EA
985-10810-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Beakers, 10 mL - 1 ea Capacity (mL): 10 Graduation Range (mL): n/a Subdivisions (mL): n/a Height (mm): 25 x 34 Body O.D. (mm): 25 Lip O.D. (mm): 28 		DWK Life Sciences (Kimble)	14000-10			PK(12)
985-10810-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Beakers, 10 mL - 1 ea Capacity (mL): 10 Graduation Range (mL): n/a Subdivisions (mL): n/a Height (mm): 25 x 34 Body O.D. (mm): 25 Lip O.D. (mm): 28 		DWK Life Sciences (Kimble)	14000-10			CS(48)

Order	28-Apr-2024 17:18: PM PDT		PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.				
Catalog	Item	Availability	Manufacturer	Mfg. Part #	NDC#	Your Price	Unit
985-10813-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 100 mL - 1 ea Capacity (mL): 100 Graduation Range (mL): 20 to 80 Subdivisions (mL): 10 Height (mm): 70 Body O.D. (mm): 50 Lip O.D. (mm): 55 		DWK Life Sciences (Kimble)	14000-100			EA
985-10813-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 100 mL - 1 ea Capacity (mL): 100 Graduation Range (mL): 20 to 80 Subdivisions (mL): 10 Height (mm): 70 Body O.D. (mm): 50 Lip O.D. (mm): 55 		DWK Life Sciences (Kimble)	14000-100			PK(12)
985-10813-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 100 mL - 1 ea Capacity (mL): 100 Graduation Range (mL): 20 to 80 Subdivisions (mL): 10 Height (mm): 70 Body O.D. (mm): 50 Lip O.D. (mm): 55 		DWK Life Sciences (Kimble)	14000-100			CS(48)
985-10816-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 1000 mL - 1 ea Capacity (mL): 1000 Graduation Range (mL): 100 to 1000 Subdivisions (mL): 50 Height (mm): 145 Body O.D. (mm): 107 Lip O.D. (mm): 118 		DWK Life Sciences (Kimble)	14000-1000			EA
985-10816-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 1000 mL - 1 ea Capacity (mL): 1000 Graduation Range (mL): 100 to 1000 Subdivisions (mL): 50 Height (mm): 145 Body O.D. (mm): 107 Lip O.D. (mm): 118 		DWK Life Sciences (Kimble)	14000-1000			PK(6)
985-10816-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 1000 mL - 1 ea Capacity (mL): 1000 Graduation Range (mL): 100 to 1000 Subdivisions (mL): 50 Height (mm): 145 Body O.D. (mm): 107 Lip O.D. (mm): 118 		DWK Life Sciences (Kimble)	14000-1000			CS(24)
985-10819-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 150 mL - 1 ea Capacity (mL): 150 Graduation Range (mL): 20 to 140 Subdivisions (mL): 20 Height (mm): 81 Body O.D. (mm): 57 Lip O.D. (mm): 63 		DWK Life Sciences (Kimble)	14000-150			EA
985-10819-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 150 mL - 1 ea Capacity (mL): 150 Graduation Range (mL): 20 to 140 Subdivisions (mL): 20 Height (mm): 81 Body O.D. (mm): 57 Lip O.D. (mm): 63 		DWK Life Sciences (Kimble)	14000-150			PK(12)

Order	28-Apr-2024 17:18: PM PDT	PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.					
Catalog	Item	Availability	Manufacturer	Mfg. Part #	NDC#	Your Price	Unit
985-10819-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 150 mL - 1 ea Capacity (mL): 150 Graduation Range (mL): 20 to 140 Subdivisions (mL): 20 Height (mm): 81 Body O.D. (mm): 57 Lip O.D. (mm): 63 		DWK Life Sciences (Kimble)	14000-150			CS(48)
985-10822-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 1500 mL - 1 ea Capacity (mL): 1500 Graduation Range (mL): 200 to 1400 Subdivisions (mL): 100 Height (mm): 165 Body O.D. (mm): 120 Lip O.D. (mm): 132 		DWK Life Sciences (Kimble)	14000-1500			EA
985-10822-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 1500 mL - 1 ea Capacity (mL): 1500 Graduation Range (mL): 200 to 1400 Subdivisions (mL): 100 Height (mm): 165 Body O.D. (mm): 120 Lip O.D. (mm): 132 		DWK Life Sciences (Kimble)	14000-1500			PK(4)
985-10822-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 1500 mL - 1 ea Capacity (mL): 1500 Graduation Range (mL): 200 to 1400 Subdivisions (mL): 100 Height (mm): 165 Body O.D. (mm): 120 Lip O.D. (mm): 132 		DWK Life Sciences (Kimble)	14000-1500			CS(16)
985-10825-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 20 mL - 1 ea Capacity (mL): 20 Graduation Range (mL): 5 to 15 Subdivisions (mL): 5 Height (mm): 41 Body O.D. (mm): 32 Lip O.D. (mm): 36 		DWK Life Sciences (Kimble)	14000-20			EA
985-10825-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 20 mL - 1 ea Capacity (mL): 20 Graduation Range (mL): 5 to 15 Subdivisions (mL): 5 Height (mm): 41 Body O.D. (mm): 32 Lip O.D. (mm): 36 		DWK Life Sciences (Kimble)	14000-20			PK(12)
985-10825-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 20 mL - 1 ea Capacity (mL): 20 Graduation Range (mL): 5 to 15 Subdivisions (mL): 5 Height (mm): 41 Body O.D. (mm): 32 Lip O.D. (mm): 36 		DWK Life Sciences (Kimble)	14000-20			CS(48)
985-10828-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 2000 mL - 1 ea Capacity (mL): 2000 Graduation Range (mL): 200 to 2000 Subdivisions (mL): 100 Height (mm): 190 Body O.D. (mm): 130 Lip O.D. (mm): 143 		DWK Life Sciences (Kimble)	14000-2000			EA

Order	28-Apr-2024 17:18: PM PDT	PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.					
Catalog	Item	Availability	Manufacturer	Mfg. Part #	NDC#	Your Price	Unit
985-10828-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 2000 mL - 1 ea Capacity (mL): 2000 Graduation Range (mL): 200 to 2000 Subdivisions (mL): 100 Height (mm): 190 Body O.D. (mm): 130 Lip O.D. (mm): 143 		DWK Life Sciences (Kimble)	14000-2000			PK(4)
985-10828-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 2000 mL - 1 ea Capacity (mL): 2000 Graduation Range (mL): 200 to 2000 Subdivisions (mL): 100 Height (mm): 190 Body O.D. (mm): 130 Lip O.D. (mm): 143 		DWK Life Sciences (Kimble)	14000-2000			CS(8)
985-10831-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 250 mL - 1 ea Capacity (mL): 250 Graduation Range (mL): 25 to 200 Subdivisions (mL): 25 Height (mm): 88 Body O.D. (mm): 68 Lip O.D. (mm): 75 		DWK Life Sciences (Kimble)	14000-250			EA
985-10831-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 250 mL - 1 ea Capacity (mL): 250 Graduation Range (mL): 25 to 200 Subdivisions (mL): 25 Height (mm): 88 Body O.D. (mm): 68 Lip O.D. (mm): 75 		DWK Life Sciences (Kimble)	14000-250			PK(12)
985-10831-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 250 mL - 1 ea Capacity (mL): 250 Graduation Range (mL): 25 to 200 Subdivisions (mL): 25 Height (mm): 88 Body O.D. (mm): 68 Lip O.D. (mm): 75 		DWK Life Sciences (Kimble)	14000-250			CS(48)
985-10834-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 30 mL - 1 ea Capacity (mL): 30 Graduation Range (mL): 5 to 25 Subdivisions (mL): 10 Height (mm): 53 Body O.D. (mm): 35 Lip O.D. (mm): 38 		DWK Life Sciences (Kimble)	14000-30			EA
985-10834-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 30 mL - 1 ea Capacity (mL): 30 Graduation Range (mL): 5 to 25 Subdivisions (mL): 10 Height (mm): 53 Body O.D. (mm): 35 Lip O.D. (mm): 38 		DWK Life Sciences (Kimble)	14000-30			PK(12)
985-10834-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 30 mL - 1 ea Capacity (mL): 30 Graduation Range (mL): 5 to 25 Subdivisions (mL): 10 Height (mm): 53 Body O.D. (mm): 35 Lip O.D. (mm): 38 		DWK Life Sciences (Kimble)	14000-30			CS(48)

Order	28-Apr-2024 17:18: PM PDT	PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.					
Catalog	Item	Availability	Manufacturer	Mfg. Part #	NDC#	Your Price	Unit
985-10837-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 400 mL - 1 ea Capacity (mL): 400 Graduation Range (mL): 50 to 325 Subdivisions (mL): 25 Height (mm): 106 Body O.D. (mm): 77 Lip O.D. (mm): 85 		DWK Life Sciences (Kimble)	14000-400			EA
985-10837-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 400 mL - 1 ea Capacity (mL): 400 Graduation Range (mL): 50 to 325 Subdivisions (mL): 25 Height (mm): 106 Body O.D. (mm): 77 Lip O.D. (mm): 85 		DWK Life Sciences (Kimble)	14000-400			PK(12)
985-10837-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 400 mL - 1 ea Capacity (mL): 400 Graduation Range (mL): 50 to 325 Subdivisions (mL): 25 Height (mm): 106 Body O.D. (mm): 77 Lip O.D. (mm): 85 		DWK Life Sciences (Kimble)	14000-400			CS(48)
985-10840-PK	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 4000 mL - 1 ea Capacity (mL): 4000 Graduation Range (mL): 500 to 3500 Subdivisions (mL): 250 Height (mm): 250 Body O.D. (mm): 161 Lip O.D. (mm): 187 		DWK Life Sciences (Kimble)	14000-4000			PK
985-10840-PK	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 4000 mL - 1 ea Capacity (mL): 4000 Graduation Range (mL): 500 to 3500 Subdivisions (mL): 250 Height (mm): 250 Body O.D. (mm): 161 Lip O.D. (mm): 187 		DWK Life Sciences (Kimble)	14000-4000			CS(6)
985-10843-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 50 mL - 1 ea Capacity (mL): 50 Graduation Range (mL): 20 to 40 Subdivisions (mL): 10 Height (mm): 53 Body O.D. (mm): 42 Lip O.D. (mm): 47 		DWK Life Sciences (Kimble)	14000-50			EA
985-10843-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 50 mL - 1 ea Capacity (mL): 50 Graduation Range (mL): 20 to 40 Subdivisions (mL): 10 Height (mm): 53 Body O.D. (mm): 42 Lip O.D. (mm): 47 		DWK Life Sciences (Kimble)	14000-50			PK(12)
985-10843-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 50 mL - 1 ea Capacity (mL): 50 Graduation Range (mL): 20 to 40 Subdivisions (mL): 10 Height (mm): 53 Body O.D. (mm): 42 Lip O.D. (mm): 47 		DWK Life Sciences (Kimble)	14000-50			CS(48)

Order	28-Apr-2024 17:18: PM PDT		PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.				
Catalog	Item	Availability	Manufacturer	Mfg. Part #	NDC#	Your Price	Unit
985-10846-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 600 mL - 1 ea Capacity (mL): 600 Graduation Range (mL): 50 to 500 Subdivisions (mL): 50 Height (mm): 122 Body O.D. (mm): 88 Lip O.D. (mm): 97 		DWK Life Sciences (Kimble)	14000-600			EA
985-10846-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 600 mL - 1 ea Capacity (mL): 600 Graduation Range (mL): 50 to 500 Subdivisions (mL): 50 Height (mm): 122 Body O.D. (mm): 88 Lip O.D. (mm): 97 		DWK Life Sciences (Kimble)	14000-600			PK(6)
985-10846-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 600 mL - 1 ea Capacity (mL): 600 Graduation Range (mL): 50 to 500 Subdivisions (mL): 50 Height (mm): 122 Body O.D. (mm): 88 Lip O.D. (mm): 97 		DWK Life Sciences (Kimble)	14000-600			CS(36)
985-10849-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 800 mL - 1 ea Capacity (mL): 800 Graduation Range (mL): 50 to 750 Subdivisions (mL): 50 Height (mm): 136 Body O.D. (mm): 99 Lip O.D. (mm): 108 		DWK Life Sciences (Kimble)	14000-800			EA
985-10849-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 800 mL - 1 ea Capacity (mL): 800 Graduation Range (mL): 50 to 750 Subdivisions (mL): 50 Height (mm): 136 Body O.D. (mm): 99 Lip O.D. (mm): 108 		DWK Life Sciences (Kimble)	14000-800			PK(6)
985-10849-EA	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, 800 mL - 1 ea Capacity (mL): 800 Graduation Range (mL): 50 to 750 Subdivisions (mL): 50 Height (mm): 136 Body O.D. (mm): 99 Lip O.D. (mm): 108 		DWK Life Sciences (Kimble)	14000-800			CS(24)
985-11017-PK	DWK Life Sciences (Kimble) KIMAX Low Form Griffin Graduated Beakers, Starter Pack - 1 pk Capacity (mL): Starter Pack 		DWK Life Sciences (Kimble)	14080-01			PK

Regulatory Documents

Spectrum must have the following on file to process orders shipping to California: 1. Current Signature Card QAF481 form
For additional information, please contact Customer Service at 800-370-6231 or compliance@spectrumrx.com

[QAF481](#)

[Authorized Purchaser form](#)