

## Ohaus Defender 5000 Standard Bench Scales with TD52P ABS Indicator

**Description** • The OHAUS next generation Defender 5000 Series multifunctional bench scale is ideal for a multitude of applications, including production, packaging, inventory and shipping

- Built durably and equipped with advanced features such as maximum configurability print output, GMP/GLP data output, library/user management and multiple connectivity options - the Defender 5000 is designed to simplify demanding industrial and commercial applications

### Applications

- Weighing, Parts Counting, Percent Weighing, Check Weighing, Dynamic Weighing (Display Hold)

### Display

- Backlit Liquid Crystal Display (LCD), 256 x 80 pixels



### Operation

- Internal power supply with power cord (included) or rechargeable battery (sold separately as an accessory)

### Communication

- Easy access communication ports including RS232 and Micro SD slot (included), second RS232/RS485/USD device, Ethernet and WiFi/Bluetooth, Discrete I/O and Analog Output (sold separately as accessories); GLP/GMP data output with real-time clock

### Construction

- ABS plastic (TD52P) or stainless steel (TD52XW) indicator, 304-grade stainless steel platform with sand gray powder-coated steel frame, aluminum load cell, non-slip adjustable rubber feet

### Design Features

- User-configurable resolution up to dual range 15,000d/3,000e (25000d/5000d for NTEP), 150% overload capacity protection, checkweighing symbols with selectable operation and audible signal settings, menu lock switch, multiple selectable operating languages, selectable environmental and auto-print settings, stability indicator, overload/underload indicators, selectable adjust contrast settings, auto-dim display, auto-off, brightness adjustment, screensaver, auto tare

Image(s) are representative of the product group and not necessarily the individual product.

Order	27-Apr-2024 07:47: AM PDT		PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.					
	Catalog	Item	Availability	Manufacturer	Mfg. Part #	NDC#	Your Price	Unit

649-22698-EA	Defender 5000 Standard Bench Scale with TD52P ABS Indicator, Model D52P12RQR1, 25 lb. x 0.001 lb (12.5 kg x 0.5 g) - 1 ea Max. Capacity lb (kg): 24 (12.5) Readability lb (g): 0.001 (0.5) Readability (Certified) lb (g): 0.005 (2) Platform Size in (mm): 12 x 12 (305 x 305) Dimensions in. (mm): 22.6 x 17.4 x 12 (574 x 442 x 305) Net Weight lb (kg): 22 (10) Protection Rating: N/A	<a href="#">Sign In</a>	Ohaus				EA
649-22701-EA	Defender 5000 Standard Bench Scale with TD52P ABS Indicator, Model D52P25RQR1, 50 lb. x 0.002 lb (25 kg x 1.0 g) - 1 ea Max. Capacity lb (kg): 50 (25) Readability lb (g): 0.002 (1) Readability (Certified) lb (g): 0.01 (5) Platform Size in (mm): 12 x 12 (305 x 305) Dimensions in. (mm): 22.6 x 17.4 x 12 (574 x 442 x 305) Net Weight lb (kg): 22 (10) Protection Rating: N/A		Ohaus				EA
649-22704-EA	Defender 5000 Standard Bench Scale with TD52P ABS Indicator, Model D52P50RQR1, 100 lb. x 0.005 lb (50 kg x 2.0 g) - 1 ea Max. Capacity lb (kg): 100 (50) Readability lb (g): 0.005 (2) Readability (Certified) lb (g): 0.02 (10) Platform Size in (mm): 12 x 12 (305 x 305) Dimensions in. (mm): 22.6 x 17.4 x 12 (574 x 442 x 305) Net Weight lb (kg): 22 (10) Protection Rating: N/A		Ohaus				EA
649-22707-EA	Defender 5000 Standard Bench Scale with TD52P ABS Indicator, Model D52P12RTR1, 25 lb. x 0.001 lb (12.5 kg x 0.5 g) - 1 ea Max. Capacity lb (kg): 25 (12.5) Readability lb (g): 0.001 (0.5) Readability (Certified) lb (g): 0.005 (2) Platform Size in (mm): 14 x 12 (355 x 305) Dimensions in. (mm): 22.6 x 19.3 x 12 (574 x 491 x 305) Net Weight lb (kg): 24.3 (11) Protection Rating: N/A		Ohaus				EA
649-22710-EA	Defender 5000 Standard Bench Scale with TD52P ABS Indicator, Model D52P25RTR1, 50 lb. x 0.002 lb (25 kg x 1.0 g) - 1 ea Max. Capacity lb (kg): 50 (25) Readability lb (g): 0.002 (1) Readability (Certified) lb (g): 0.01 (5) Platform Size in (mm): 14 x 12 (355 x 305) Dimensions in. (mm): 22.6 x 19.3 x 12 (574 x 491 x 305) Net Weight lb (kg): 24.3 (11) Protection Rating: N/A		Ohaus				EA
649-22713-EA	Defender 5000 Standard Bench Scale with TD52P ABS Indicator, Model D52P50RTR1, 100 lb. x 0.005 lb (50 kg x 2 g) - 1 ea Max. Capacity lb (kg): 100 (50) Readability lb (g): 0.005 (2) Readability (Certified) lb (g): 0.02 (10) Platform Size in (mm): 14 x 12 (355 x 305) Dimensions in. (mm): 22.6 x 19.3 x 12 (574 x 491 x 305) Net Weight lb (kg): 24.3 (11) Protection Rating: N/A		Ohaus				EA
649-22716-EA	Defender 5000 Standard Bench Scale with TD52P ABS Indicator, Model D52P50RQL2, 100 lb. x 0.005 lb (50 kg x 2.0 g) - 1 ea Max. Capacity lb (kg): 100 (50) Readability lb (g): 0.005 (2) Readability (Certified) lb (g): 0.02 (10) Platform Size in (mm): 18 x 18 (457 x 457) Dimensions in. (mm): 35.6 x 24.7 x 18 (903 x 627 x 457) Net Weight lb (kg): 37.5 (17) Protection Rating: N/A 		Ohaus				EA

649- 22719- EA	Defender 5000 Standard Bench Scale with TD52P ABS Indicator, Model D52P125RQL2, 250 lb. x 0.01 lb (125 kg x 5.0 g) - 1 ea Max. Capacity lb (kg): 250 (125) Readability lb (g): 0.01 (5) Readability (Certified) lb (g): 0.05 (20) Platform Size in (mm): 18 x 18 (457 x 457) Dimensions in. (mm): 35.6 x 24.7 x 18 (903 x 627 x 457) Net Weight lb (kg): 37.5 (17) Protection Rating: IP67		Ohaus				EA
----------------------	---	--	-------	--	--	--	----