

Ohaus Frontier 5000 Series Micro Centrifuge

Description • Frontier Micro centrifuges deliver high-speed operation for a range of essential lab applications, such as DNA/RNA preparation, ultrafiltration, and more

- Biocontainment rotors enable research involving hazardous samples
- Engineered with convenience of operation in mind, these centrifuges feature an intuitive interface, with all key parameters immediately accessible for observation and adjustment
- The compact design saves valuable bench space in the lab

Specifications

- Speed Range: 200 rpm - 13,500 rpm
- Maximum Relative Centrifuge Force (x g): 17,317 g
- Maximum Capacity (Rotor): 24 x 1.5 / 2.0 mL
- Program memories: 99
- Rotor In Package: Angle rotor 24 x 1.5 mL / 2.0 mL
- Acceleration Gear: 10
- Deceleration Gear: 10
- Dimensions: 9.3 x 14 x 10.9 in (236 x 356 x 277 mm)
- Display: LCD with backlight
- Lid lock: Mechanical
- Net Weight: 28.9 lb (13.1 kg)
- Noise Level: • Power: AC Power (Included)
- Power Consumption: 170 W
- Pre-cool time: Not applicable
- Rotor Compatibility: Angle 24 x 1.5 mL / 2.0 mL; Angle 24 x 1.5 mL / 2.0 mL Sealable; Hematocrit rotor, 24 Capillaries; Angle 18 x 2 mL Spin Columns
- Rotor Recognition Method: Manual
- Running Time: Quickspin; 10 sec to 99 h 59 min 59 sec; Continuous
- Safety Certification: CE; FCC
- Working Environment: 36 - 95°F, 80%RH, non-condensing (2 - 35°C, 80%RH, non-condensing)



Image(s) are representative of the product group and not necessarily the individual product.

Order	27-Apr-2024 13:47: PM PDT		PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.				
Catalog	Item	Availability	Manufacturer	Mfg. Part #	NDC#	Your Price	Unit
196-06418-EA	Ohaus Frontier FC5513+R01 Micro Centrifuge with Angle Rotor - 1 ea	Sign In	Ohaus				EA