

WWW.SPECTRUMRX.COM

# **Globe\* GCH-24 Hematocrit Centrifuge**

**Description** The GCH-24 Hematocrit Centrifuge allows your lab to determine erythrocyte fractions in blood as well as micro solution separations using the included twenty-four (24) place capillary rotor. The included rotor lids enhance user safety and are easy to remove or replace. Programming is simple with the backlit LCD display, intuitive control buttons and parameter adjustment knob. The timer will not count down until the programmed speed is reached, ensuring accurate results. Setpoint can be set by G-Force or RPM.

#### **Features:**

- Speed range of 200-14,000rpm, max. RCF 18,620 x G
- Independent control of speed and time
- Easy operation with intuitive menu and easy-to-read display
- Maintenance free brushless DC motor
- Pulse operation for quick spins
- Included hematocrit rotor: 24 capillary capacity, max. speed of 12,000rpm
- Optional tube rotor available (sold separately, 196-06477): 24 place 1.5/2mL capacity, max. speed of 14,000rpm
- Includes pulse operation (quick spin)

### **Advanced Features:**

- Speed/RCF switch
- Short-time run function
- Audible alert function

#### **Safety Functions:**

- Door interlock
- Overspeed detector
- Over-temperature detector
- Automatic internal diagnosis
- Automatic rotor identification

## **Specifications:**

• Speed: 200 to 14,000 rpm in 10 rpm increments

Maximum RCF: 18,620 x G
Speed Accuracy: +/- 20rpm

• Run Time: 30 sec - 99 min or continuous

Power: 5A, 500WDisplay: Backlit LCD

Acceleration Time: 30 SecondsBraking Time: 30 Seconds

• Dimension (W x D x H): 280 x 364 x 266 mm (11 x 14.3 x 10.5 in.)

• Weight: 10 Kg (22 lbs)

Certifications: CE, cTUVus, FCC, MCA

• Warranty: 2 Years

Image(s) are representative of the p



Order	01-May-2024 10:01: AM PDT	PRICES ARE	SUBJECT TO CH	ANGE W	TTHOUT	PRIOR NO	OTICE.
Catalog	Item	Availability	Manufacturer	Mfg. Part #	NDC#	Your Price	Unit
196- 21536-EA	Centrifuge, Hematocrit, 24-place, 120v, 60Hz, US Plug (includes: 24-Place Hematocrit Rotor Kit with Lid and Reading Disk Lid) - 1 ea Electrical: 120v, 60Hz, US Plug 	Sign In	Globe				EA