

Scientific Documentation

Calcium Hydroxide, Powder, USP, EP, BP, JP

Not appropriate for regulatory submission.

Please visit www.spectrumchemical.com or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp
769 Jersey Avenue
New Brunswick, NJ 08901
Phone 732.214.1300



Table of Contents

Product Specification
Certificate of Analysis
Safety Data Sheet (SDS)
Certification of Current Good Manufacturing Practices (cGMP)
Technical Statements
Elemental Impurities Statement
Residual Solvents Statement
General Label Information – Sample Label
Kosher Certification

Specification for Calcium Hydroxide, Powder, USP, EP, BP, JP (CA150)

Item Number	CA150
Item	Calcium Hydroxide, Powder, USP, EP, BP, JP
CAS Number	1305-62-0
Molecular Formula	Ca(OH) ₂
Molecular Weight	74.09
MDL Number	
Synonyms	Slaked Lime ; Calcium Oxide, Hydrated

Test	Specification	
	Min	Max
ASSAY	95.0	100.5 %
ACID-INSOLUBLE SUBSTANCES		0.5 %
CARBONATE	NO EFFERVESCENCE	
HEAVY METALS (JP)		40 ppm
ELEMENTAL IMPURITIES:		
LEAD (Pb)	AS REPORTED	
ARSENIC		4 ppm
MAGNESIUM AND ALKALI SALTS		4.0 %
CHLORIDES		330 ppm
SULFATES		0.4 %
IDENTIFICATION A (USP)	ALKALINE TO LITMUS	
IDENTIFICATION B (USP)	POSITIVE FOR CALCIUM	
IDENTIFICATION C (EP)	TURNS RED THEN COLORLESS	
IDENTIFICATION D (EP)	POSITIVE FOR CALCIUM	
IDENTIFICATION E (JP)	ALKALINE TO LITMUS	
IDENTIFICATION F (JP)	POSITIVE FOR CALCIUM	
CERTIFIED KOSHER		
CERTIFIED HALAL		
APPEARANCE		

Test	Specification	
	Min	Max
EXPIRATION DATE		
DATE OF MANUFACTURE		
RESIDUAL SOLVENTS	AS REPORTED	
MONOGRAPH EDITION		
MONOGRAPH EDITION.		
MONOGRAPH EDITION..		

Spectrum Chemical Mfg Corp

<i>Corporate Headquarters:</i>	<i>West Coast Facility:</i>
769 Jersey Ave.	14422 S. San Pedro St.
New Brunswick, NJ 08901	Gardena, CA 90248
732.214.1300	310.516.8000

Certificate Of Analysis

Item Number	CA150	Lot Number	2MH0180
Item	Calcium Hydroxide, Powder, USP, EP, BP, JP	CAS Number	1305-62-0
Molecular Formula	Ca(OH) ₂	Molecular Weight	74.09

TEST	SPECIFICATION		RESULT
	MIN	MAX	
ASSAY	95.0	100.5 %	97.9 %
ACID-INSOLUBLE SUBSTANCES		0.5 %	<0.5 %
CARBONATE	NO EFFERVESCENCE		NO EFFERVESCENCE
HEAVY METALS (JP)		40 ppm	<40 ppm
ELEMENTAL IMPURITIES:			COMPLIES WITH STANDARD
LEAD (Pb)	AS REPORTED		<0.25 ppm
ARSENIC		4 ppm	<1.5 ppm
MAGNESIUM AND ALKALI SALTS		4.0 %	<4.0 %
CHLORIDES		330 ppm	<330 ppm
SULFATES		0.4 %	<0.4 %
IDENTIFICATION A (USP)	ALKALINE TO LITMUS		ALKALINE TO LITMUS
IDENTIFICATION B (USP)	POSITIVE FOR CALCIUM		POSITIVE FOR CALCIUM
IDENTIFICATION C (EP)	TURNS RED THEN COLORLESS		TURNS RED THEN COLORLESS
IDENTIFICATION D (EP)	POSITIVE FOR CALCIUM		POSITIVE FOR CALCIUM
IDENTIFICATION E (JP)	ALKALINE TO LITMUS		ALKALINE TO LITMUS
IDENTIFICATION F (JP)	POSITIVE FOR CALCIUM		POSITIVE FOR CALCIUM
CERTIFIED KOSHER			CERTIFIED KOSHER
CERTIFIED HALAL			CERTIFIED HALAL
APPEARANCE			WHITE FINE POWDER

TEST	SPECIFICATION		RESULT
	MIN	MAX	
EXPIRATION DATE			31-JUL-2025
DATE OF MANUFACTURE			01-JUL-2023
RESIDUAL SOLVENTS	AS REPORTED		NO RESIDUAL SOLVENTS PRESENT
MONOGRAPH EDITION			USP 2023
MONOGRAPH EDITION.			BP 2023,EP 11
MONOGRAPH EDITION..			JP 18th

Certificate of Analysis Results Entered By:

SVANGOOR
Swetha Vangoor
23-AUG-23 06:14:25

Spectrum Chemical Mfg Corp
755 Jersey Avenue
New Brunswick 08901 NJ



Certificate of Analysis Results Approved By:

GHERRERA
Genaro Herrera
31-AUG-23 12:31:25

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.

SAFETY DATA SHEET

spectrum®



Revision date 17-January-2022

Revision Number 2

1. Identification

Product identifier

Product Name CALCIUM HYDROXIDE, POWDER, USP, EP, BP, JP

Other means of identification

Product Code(s) CA150

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp.
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Causes skin irritation
Causes serious eye damage
May cause respiratory irritation



Appearance powder

Physical state Solid

Odor No information available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see .? on this label)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor
IF ON SKIN: Wash with plenty of water and soap
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse
IF INHALED: Remove person to fresh air and keep comfortable for breathing
Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Substance

Chemical name	CAS No	Weight-%	Trade secret
Calcium Hydroxide	1305-62-0	100	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.

Eye contact

Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
------------------	---

Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
---	---

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation.
-----------------	--------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
-------------------------------------	---

Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
-------------------	--

Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
---------------------------------------	---

Specific hazards arising from the chemical	No information available.
---	---------------------------

Explosion data

Sensitivity to mechanical impact	none.
---	-------

Sensitivity to static discharge	none.
--	-------

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas.
-----------------------------	--

Other information	Refer to protective measures listed in Sections 7 and 8.
--------------------------	--

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

Methods for cleaning up	Pick up and transfer to properly labeled containers.
--------------------------------	--

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
---------------------------	--

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Hydroxide 1305-62-0	No data available	15 mg/m ³ TWA 5 mg/m ³ TWA	-

Appropriate engineering controls

Engineering controls Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid
Appearance powder
Color White
Odor No information available
Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Alkaline	None known
Melting point / freezing point	no data available	None known
Boiling point / boiling range	no data available	None known
Flash point	no data available	None known
Evaporation rate	no data available	None known
Flammability (solid, gas)	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	no data available	None known
Relative density	2.2	None known
Water solubility	Very slightly soluble in water	None known
Solubility(ies)	Soluble in Glycerol Insoluble in Alcohol	None known
Partition coefficient	No data available	None known
Autoignition temperature	no data available	None known

Decomposition temperature	580 - °C 1076 °F	None known
Kinematic viscosity	no data available	None known
Dynamic viscosity	No data available	None known

Other information

Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Liquid Density	No information available
Bulk density	No information available

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes. (based on components).
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.
-----------------	---

Acute toxicity

Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium Hydroxide 1305-62-0	= 7340 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
----------------------------------	---

Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	respiratory system, Eyes, Skin.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Calcium Hydroxide 1305-62-0	-	LC50: =160mg/L (96h, <i>Gambusia affinis</i>)	-	-

Persistence and degradability	No information available.
Bioaccumulation	Inherently biodegradable.

Other adverse effects	No information available.
------------------------------	---------------------------

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

<u>DOT</u>	not regulated
<u>TDG</u>	not regulated
<u>MEX</u>	not regulated
<u>ICAO (air)</u>	not regulated
<u>IATA</u>	not regulated
<u>IMDG</u>	not regulated
<u>RID</u>	not regulated
<u>ADR</u>	not regulated
<u>ADN</u>	not regulated

15. Regulatory information

International Inventories

TSCA Complies

DSL/NDSL Complies

EINECS/ELINCS Complies

ENCS This product complies with ENCS:

IECSC This product complies with China:

KECL Complies

PICCS Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Calcium Hydroxide 1305-62-0	0322	Present	Present

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 3

Flammability 0

Instability 0

Physical and chemical properties -

HMIS

Health hazards 3

Flammability 0

Physical hazards 0

Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

17-January-2022

Revision Note

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Certification of Compliance with current Good Manufacturing Practices

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
CA150	Calcium Hydroxide, Powder, USP, EP, BP, JP

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632
Spectrum-New Brunswick, NJ: 2246824

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com

Sincerely,

A handwritten signature in black ink, appearing to read "Oralia Chavez", written in a cursive style.

Oralia Chavez
Quality Assurance Specialist

CA150, Calcium Hydroxide, Powder, USP, EP, BP, JP

Source Statement

The above mentioned catalog item is derived through a process of calcining mined limestone. No animal or plant derived products are used in the manufacturing process.

BSE/TSE Statement

The above mentioned catalog item does not contain nor is manufactured using any animal derived products and is therefore, BSE/TSE free.

Allergen Statement

The above mentioned catalog item does not contain any of the following:

- Milk
- Egg
- Fish
- Shellfish
- Tree Nuts
- Wheat
- Peanuts
- Soy
- Cereals containing Gluten
- Celery
- Mustard
- Sesame Seed
- Corn
- Latex
- Sulfites > 10 ppm

EU Fragrance Allergen Statement

The above mentioned catalog item does not contain any of the 26 EU fragrance allergens listed in Annex III lines 67-92. These substances are not intentionally added to the above mentioned catalog item and therefore are not expected to be present.

GMO Statement

The above mentioned catalog item is manufactured without the use of genetically modified organisms and is therefore GMO free.

Melamine Statement

The above mentioned catalog does not use or add melamine to the manufacturing process and is considered melamine-free.

Nitrosamine Statement

Based on knowledge of the manufacturing process, nitrosamine impurities are not known or suspected to be present in this material.

Animal Testing Statement

The above mentioned catalog item has not been tested on animals.

Organic Compliance Statement

The above mentioned catalog item has not been produced using GMOs, irradiation, ethylene oxide (EtO) or sewage sludge.

Shelf Life Statement

The above mentioned catalog item is typically assigned a shelf life of 24 months from the date of manufacture. The actual assigned shelf life for any specific lot should be referenced on the Certificate of Analysis.

Other Chemicals Statement

Spectrum does not have any reason to suspect the above mentioned catalog item contains any of the following chemicals. This product does not come into contact with these chemicals during packaging or storage:

- | | |
|---------------------|-----------------|
| • Aflatoxins | • Parabens |
| • Antibiotics | • Pesticides |
| • Bisphenol A (BPA) | • Phthalates |
| • CMR Substances | • Preservatives |



RE: Elemental Impurities - Calcium Hydroxide, Powder, USP, EP, BP, JP (Cat # CA150)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above material complies with the USP<232>, <233> Elemental Impurities and the ICH Q3D Elemental Impurities Guideline. The following elemental impurities are likely to be present:

Elemental Impurity		Class	Expected Concentration
Cadmium	Cd	1	< 0.5 ppm
Lead	Pb	1	< 0.25 ppm
Arsenic	As	1	< 1.5 ppm
Mercury	Hg	1	< 0.05 ppm
Nickel	Ni	2A	< 10 ppm
Molybdenum	Mo	3	< 150 ppm
Copper	Cu	3	< 150 ppm
Chromium	Cr	3	< 550 ppm

Elements indicated as "Not tested" are not intentionally added to the manufacturing process.

Other elemental impurities considered by USP <232>, <233> and ICH Q3D which are not addressed in the above mentioned table are not likely to be present. These substances are not used in the production process, are not intentionally added or known to be present in the above mentioned material.

This information is subject to change and is intended for risk assessment only. It is responsibility of the end user to evaluate suitability of any chemical for the intended use as well as to assess compound-specific limits of daily intake of metal impurities. For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at TechServices@spectrumchemical.com.

Sincerely,

CORPORATE HEADQUARTERS

769 Jersey Avenue

New Brunswick, NJ 08901

PHONE 732.214.1300

FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street

Gardena, California 90248

PHONE 310.516.8000

FAX 310.516.9843



Technical Services
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue

New Brunswick, NJ 08901

PHONE 732.214.1300

FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street

Gardena, California 90248

PHONE 310.516.8000

FAX 310.516.9843



RE: Residual Solvents - Calcium Hydroxide, Powder, USP, EP, BP, JP (Cat # CA150)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned catalog item complies with the requirements of the USP <467> Residual Solvents and the ICH Q3C Residual Solvents Guideline. No Class 1, Class 2, Class 3 or other solvents are used or produced in the manufacture of this product.

For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at TechServices@spectrumchemical.com.

Sincerely,

Technical Services
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue

New Brunswick, NJ 08901

PHONE 732.214.1300

FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street


Gardena, California 90248

PHONE 310.516.8000

FAX 310.516.9843

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.

A  **L**

Exp. Date: 03-31-2030

C **DANGER**

- Causes serious eye damage • Causes skin irritation • May cause respiratory irritation.
- Wear protective gloves, eye protection, face protection • Avoid breathing dust • Use only outdoors or in a well-ventilated area • Wash face, hands and any exposed skin thoroughly after handling.

FIRST AID: Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

KEEP FROM CHILDREN

spectrum®
CHEMICAL MFG CORP

CA150 **D** **2.5 KG** **F**

Calcium Hydroxide

E (Calcium Oxide, Hydrated; Slaked Lime)

N **Powder** **Q**

KSA **KOSHER** **USP, EP, BP, JP** **IFANCA CERTIFIED** **HALAL**

G CAS 1305-62-0

CAUTION: For manufacturing, processing or repacking. Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300

H **J** www.SpectrumChemical.com

K **Ca(OH)₂** **F.W. 74.09**

Assay 95.0-100.5%

MAXIMUM LIMITS

Acid-Insoluble Substances 0.5%

Carbonate To pass test

Heavy Metals 40 ppm

Elemental Impurities As reported

Arsenic 4 ppm

Magnesium and Alkali Salts 4.0%

Chlorides 330 ppm

Sulfates 0.4%

Residual Solvents To pass test

WARNING: Cancer and Reproductive Harm-
www.P65Warnings.ca.gov

G 17/18GHS **A** **O** **Lot No. 062233** **M**

SPECTRUM CHEMICAL MFG. CORP. Gardena, CA 90248 • New Brunswick, NJ 08901

- | | | |
|---|---|---|
| <p>A Bar Code</p> <p>B GHS Hazard Pictograms</p> <p>C Warning, Safety Data and Precautionary Information</p> <p>D Product Catalog Number</p> <p>E Item Name, Form, Grade</p> <p>F Size/Quantity</p> | <p>G Chemical Abstracts Service (CAS) Registry Number</p> <p>H Caution Information</p> <p>I DOT Shipping Information</p> <p>J Toll-Free 24-Hour Chemical Emergency Telephone Number</p> | <p>K Empirical Formula, Formula Weight and Technical Specifications Panel</p> <p>L Expiration Information</p> <p>M Lot Number</p> <p>N Kosher Certified by Kosher Supervision of America (KSA).</p> <p>O Storage Color Band</p> <p>P Halal Certified by IFANCA</p> <p>Q bioCertified</p> |
|---|---|---|

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

- YELLOW:** Oxidizer
- RED:** Flammable
- GREEN:** General Storage
- BLUE:** Health Hazard
- WHITE:** Corrosive

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901
732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248
310.516.8000



KOSHER SUPERVISION OF AMERICA

בס"ד
Jan 18, 2024

The following product(s) prepared by the named company are certified kosher with the stated requirements:

Spectrum Laboratory Products, Inc.

S-0032

14422 South San Pedro Street,
Gardena, CA 90248
755-769 Jersey Ave.
New Brunswick NJ 08901
USA

Product Name	CA150, Calcium Hydroxide, Powder, USP, EP, BP, JP
Brand	Spectrum
UKD-ID	KSAV3-D4P7E2
D/P/M	P
Symbol Required	KSA
Special Conditions	

This certificate expires on
Feb 01, 2025

Rabbi Binyomin Lisbon
Kashrus Administrator

Placing the KSA logo on products not listed above constitutes an un-authorized use of the KSA symbol, which is a federally registered trademark.