

# **Scientific Documentation**

# **Butylated Hydroxytoluene, Granular, NF**

Not appropriate for regulatory submission. Please visit www.spectrumchemical.com or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp 769 Jersey Avenue New Brunswick, NJ 08901 Phone 732.214.1300





### **Table of Contents**

Product Specification Certificate of Analysis Safety Data Sheet (SDS) Certification of Current Good Manufacturing Practices (cGMP) Technical Statements Elemental Impurities Statement Residual Solvents Statement General Label Information – Sample Label Kosher Certification



## **Specification for Butylated Hydroxytoluene, Granular, NF (B1196)**

Item Number	B1196
Item	Butylated Hydroxytoluene, Granular, NF
CAS Number	128-37-0
Molecular Formula	C <sub>15</sub> H <sub>24</sub> O
Molecular Weight	220.36
MDL Number	
Synonyms	2,6-Di-tert-butyl-p-cresol; BHT; Butylated Hydroxytoluene

Test	Specification		
	Min	Max	
APPEARANCE			
IDENTIFICATION A) FTIR	SPECTRUM MATCHES REFERENCE		
IDENTIFICATION B (HPLC)	RETENTION TIME MATCHES STANDARD		
ASSAY	99.0	101.5 %	
RESIDUE ON IGNITION		0.002 %	
ELEMENTAL IMPURITIES:			
LEAD (Pb)	AS REPORTED		
ARSENIC (As)	AS REPORTED		
ORGANIC IMPURITIES:			
p-Cresol or m-cresol		0.1 %	
3-tert-Butyl-4-hydroxyanisole (BHA)		0.1 %	
3,5-Di-tert-butyl-4-hydroxybenzoic acid		0.1 %	
2-tert-butyl-4-methylphenol or 2-tert-butyl-5-methylphenol		0.1 %	
3,5-Di-tert-butyl-4-hydroxy benzaldehyde		0.1 %	
4,6-Di-tert-butyl-m-cresol		0.1 %	
2,6-Di-tert-butyl-phenol		0.1 %	
INDIVIDUAL IMPURITY		0.1 %	
TOTAL IMPURITIES		0.7 %	

Test	Specification	
	Min	Max
CERTIFIED KOSHER		
CERTIFIED HALAL		
RETEST DATE		
MANUFACTURE DATE		
RESIDUAL SOLVENTS	AS REPORTED	
MONOGRAPH EDITION		

#### Spectrum Chemical Mfg Corp

Corporate Headquarters:	West Coast Facility:
769 Jersey Ave.	14422 S. San Pedro St.
New Brunswick, NJ 08901	Gardena, CA 90248
732.214.1300	310.516.8000



# **Certificate Of Analysis**

Item Number	B1196	Lot Number	1NC0033
Item	Butylated Hydroxytoluene, Granular, NF	CAS Number	128-37-0
Molecular Formula	C <sub>15</sub> H <sub>24</sub> O	Molecular Weight	220.36

TECT	SPECIFICATION		
TEST	MIN	MAX	RESULT
APPEARANCE			WHITE CRYSTALS
IDENTIFICATION A) FTIR	SPECTRUM MATCHES REFERENCE		SPECTRUM MATCHES REFERENCE
IDENTIFICATION B (HPLC)	RETENTION TIME MATCHES STANDARD		RETENTION TIME MATCHES STANDARD
ASSAY	99.0	101.5 %	99.8 %
RESIDUE ON IGNITION		0.002 %	<0.002 %
ELEMENTAL IMPURITIES:			
LEAD (Pb)	AS REPORTED		<0.5 µg/g
ARSENIC (As)	AS REPORTED		<1.5 µg/g
ORGANIC IMPURITIES:			
p-Cresol or m-cresol		0.1 %	<0.1 %
3-tert-Butyl-4-hydroxyanisole (BHA)		0.1 %	<0.1 %
3,5-Di-tert-butyl-4-hydroxybenzoic acid		0.1 %	<0.1 %
2-tert-butyl-4-methylphenol or 2-tert- butyl-5-methylphenol		0.1 %	<0.1 %
3,5-Di-tert-butyl-4-hydroxy benzaldehyde		0.1 %	<0.1 %
4,6-Di-tert-butyl-m-cresol		0.1 %	<0.1 %
2,6-Di-tert-butyl-phenol		0.1 %	<0.1 %
INDIVIDUAL IMPURITY		0.1 %	<0.1 %
TOTAL IMPURITIES		0.7 %	<0.7 %
CERTIFIED KOSHER			CERTIFIED KOSHER
CERTIFIED HALAL			CERTIFIED HALAL

тгст	SPECIFICATION		
TEST	MIN	MAX	RESULT
RETEST DATE			01-JAN-2027
MANUFACTURE DATE			01-JAN-2024
RESIDUAL SOLVENTS	AS REPORTED		NO RESIDUAL SOLVENTS USED
MONOGRAPH EDITION			(USP-NF) 2023

Certificate of Analysis Results Entered By:

HBERMUDEZ Hernan Bermudez 07-MAR-24 18:02:28

Spectrum Chemical Mfg Corp 14422 South San Pedro Street Gardena 90248 CA Certificate of Analysis Results Approved By:

SHANSEN Selin Hansen 12-MAR-24 10:00:43



All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.

# SAFETY DATA SHEET

Revision date 21-June-2022

1. Identification		
Product identifier		
Product Name	BUTYLATED HYDROXYTOLUENE, GRANULAR, NF	
Other means of identification		
Product Code(s)	B1196	
Synonyms	Butylhydroxytoluene	
Recommended use of the chemical and restrictions on use		
Recommended use	Antioxidant	
Restrictions on use	No information available	
Details of the supplier of the safety data sheet		
<u>Supplier Address</u> Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000		
Emergency telephone number		

**Emergency Telephone** 

Chemtrec 1-800-424-9300

#### 2. Hazard(s) identification

#### **Classification**

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

#### Hazards not otherwise classified (HNOC)

Not applicable

Label elements Warning

Hazard statements Harmful if swallowed Causes skin irritation Causes serious eye irritation



Revision Number 5



Physical state Solid

Odor No information available

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/eye protection/face protection

#### **Precautionary Statements - Response**

Specific treatment (see .? on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

No information available.

#### 3. Composition/information on ingredients

#### Substance

Synonyms

Butylhydroxytoluene.

Chemical name	CAS No	Weight-%	Trade secret
Butylated Hydroxytoluene	128-37-0	100	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First-aid measures

#### **Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).	
Most important symptoms and effects, both acute and delayed		
Symptoms	May cause redness and tearing of the eyes. Burning sensation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

#### 5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Carbon Monoxide, Carbon Dioxide.
Explosion data Sensitivity to mechanical impac	at none.
Sensitivity to static discharge	none.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

#### 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

#### 8. Exposure controls/personal protection

#### Control parameters

Exposure Limits	The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.
Appropriate engineering controls	
Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

#### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state	Solid	
Appearance	Crystalline granules	
Color	White light yellow	
Odor	No information available	
Odor threshold	No information available	
Property_	Values	Remarks • Method
рН	no data available	None known
Melting point / freezing point	70 °C / 158 °F	None known
Boiling point / boiling range	265 °C / 509 °F	None known
Flash point	127 °C / 260.6 °F	CC (closed cup)
Evaporation rate	no data available	None known
Flammability (solid, gas)	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	7.6	None known
Relative density	1.04	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	Soluble in Alcohol	None known
	Soluble in Acetone	
	Soluble in Toluene	
	Soluble in Petroleum Ether	
Partition coefficient	No data available	None known

Autoignition temperature	470 °C / 878 °F	None known None known
Decomposition temperature Kinematic viscosity	no data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	220.36	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk density	No information available	

#### 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

### 11. Toxicological information

#### Information on likely routes of exposure

Product Information		
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.	
Eye contact	Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components). Causes serious eye irritation.	
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Redness. May cause redness and tearing of the eyes.	
Acute toxicity		

#### Numerical measures of toxicity

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Butylated Hydroxytoluene 128-37-0	890 mg/kg (Rat)	-	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye Respiratory or skin sens Germ cell mutagenicity Carcinogenicity The table below indicates	irritation Classificatio itization No informat No informat No informat	n based on data available fo on based on data available fo ion available. ion available. ion available. as listed any ingredient as a	or ingredients. Causes ser	
Chemical name	ACGIH	IARC	NTP	OSHA
Butylated Hydroxytoluene 128-37-0	-	Group 3 - Not classifiable - Supplement 7 [1987] Monograph 40 [1986]	_	-
Legend				
Reproductive toxicity	No informat	ion available.		
STOT - single exposure STOT - repeated exposur Target organ effects		ion available. ion available.		
Aspiration hazard	No informat	ion available.		
Other adverse effects	No informat	ion available.		
Interactive effects	No informat	ion available.		

#### 12. Ecological information

#### Ecotoxicity

LCOLOXICITY				
Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Butylated Hydroxytoluene 128-37-0	EC50: =6mg/L (72h, Pseudokirchneriella subcapitata) EC50: >0.42mg/L (72h, Desmodesmus subspicatus)	LC50: =5mg/L (48h, Oryzias latipes)	-	-

### Persistence and degradability Bioaccumulation

No information available. Inherently biodegradable.

#### **Component Information**

Chemical name	Partition coefficient
Butylated Hydroxytoluene	4.17
128-37-0	

Other adverse effects

No information available.

#### 13. Disposal considerations

#### Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

#### 14. Transport information

DOT	Not regulated
TDG	Not regulated not regulated
MEX	Not regulated not regulated
ICAO (air)	Not regulated not regulated
IATA	Not regulated not regulated
<u>IMDG</u>	Not regulated not regulated
RID	Not regulated not regulated
ADR	Not regulated not regulated
ADN	Not regulated not regulated

#### 15. Regulatory information

#### International Inventories

**TSCA** 

Complies

DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	This product complies with ENCS:
IECSC	This product complies with China:
KECL	Complies
PICCS	Complies
AICS	All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material.

#### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

	Chemical name	New Jersey	Massachusetts	Pennsylvania
Γ	Butylated Hydroxytoluene 128-37-0	0814	Present	Present

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### 16. Other information

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and chemical properties -HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TŴĂ TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL Ceiling Maximum limit value Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date	21-June-2022	
Revision Note	No information available.	

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

# spectrum

#### Certification of Compliance with current Good Manufacturing Practices

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
B1196	Butylated Hydroxytoluene, Granular, NF

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: Spectrum-New Brunswick, NJ: 2020632 2246824

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at <u>qualityassurance@spectrumchemical.com</u>

Sincerely,

Oulu Clamy

Oralia Chavez Quality Assurance Specialist

### B1196, Butylated Hydroxytoluene, Granular, NF

#### **Source Statement**

The above mentioned catalog item is manufactured by chemical synthesis. No animal or plant derived products are used in the manufacturing process.

#### **BSE/TSE Statement**

The above mentioned catalog item does not contain nor is manufactured using any animal derived products and is therefore, BSE/TSE free.

#### Allergen Statement

The above mentioned catalog item does not contain any of the following:

- Milk
- Egg
- Fish
- Shellfish
- Tree Nuts
- Wheat
- Peanuts
- Soy

• Cereals containing Gluten

spectrum

- Celery
- Mustard
- Sesame Seed
- Corn
- Latex
- Sulfites > 10 ppm

#### **EU Fragrance Allergen Statement**

The above mentioned catalog item does not contain any of the 26 EU fragrance allergens listed in Annex III lines 67-92. These substances are not intentionally added to the following chemical and therefore are not expected to be present.

#### **GMO Statement**

The above mentioned catalog item is manufactured without the use of genetically modified organisms and is therefore GMO free.

#### **Melamine Statement**

The above mentioned catalog does not use or add melamine to the manufacturing process and is considered melamine-free.



#### **Nitrosamine Statement**

Based on knowledge of the manufacturing process, nitrosamine impurities are not known or suspected to be present in this material.

#### **Animal Testing Statement**

The above mentioned catalog item has not been tested on animals.

#### **Organic Compliance Statement**

The above mentioned catalog item has not been produced using GMOs, irradiation, ethylene oxide (EtO) or sewage sludge.

#### **Shelf Life Statement**

The above mentioned catalog item is typically assigned a shelf life of 36 months from the date of manufacture. The actual assigned shelf life for any specific lot should be referenced on the Certificate of Analysis.

#### **Other Chemicals Statement**

Spectrum does not have any reason to suspect the above mentioned catalog item contains any of the following chemicals. This product does not come into contact with these chemicals during packaging or storage:

- Aflatoxins
- Antibiotics
- Bisphenol A (BPA)
- CMR Substances

- Parabens
- Pesticides
- Phthalates
- Preservatives

# spectrum®

#### RE: Elemental Impurities - Butylated Hydroxytoluene, Granular, NF (Cat# B1196)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above material complies with the USP<232>, <233> Elemental Impurities and the ICH Q3D Elemental Impurities Guideline. The following elemental impurities are likely to be present:

Elemental Impurity		Class	Expected Concentration
Lead	Pb	1	< 0.5 ppm
Arsenic	As	1	< 1.5 ppm

Other elemental impurities considered by USP <232>, <233> and ICH Q3D which are not addressed in the above mentioned table are not likely to be present. These substances are not used in the production process, are not intentionally added or known to be present in the above mentioned material.

This information is subject to change and is intended for risk assessment only. It is responsibility of the end user to evaluate suitability of any chemical for the intended use as well as to assess compound-specific limits of daily intake of metal impurities. For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at <u>TechServices@spectrumchemical.com.</u>

Sincerely,

Technical Services Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

#### CORPORATE HEADQUARTERS

769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132

#### WEST COAST FACILITY

14422 South San Pedro Street Gardena, California 90248 PHONE 310.516.8000 FAX 310.516.9843

AN ISO 9001:2015 REGISTERED COMPANY

# spectrum

#### RE: Residual Solvents - Butylated Hydroxytoluene, Granular, NF (Cat# B1196)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned catalog item complies with the requirements of the USP <467> Residual Solvents and the ICH Q3C Residual Solvents Guideline. No Class 1, Class 2, Class 3 or other solvents are used or produced in the manufacture of this product.

For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at <u>TechServices@spectrumchemical.com</u>.

Sincerely,

Technical Services Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

#### CORPORATE HEADQUARTERS

769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132

#### WEST COAST FACILITY

14422 South San Pedro Street Gardena, California 90248 PHONE 310.516.8000 FAX 310.516.9843

AN ISO 9001:2015 REGISTERED COMPANY

www.spectrumchemical.com

# spectrum®


RED: Flammable

**GREEN:** General Storage

BLUE: Health Hazard WHITE: Corrosive

### **Label Information**

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.



This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

#### Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave. New Brunswick, NJ 08901

732.214.1300

*West Coast Facility:* 14422 S. San Pedro St. Gardena, CA 90248 310.516.8000



בס"ד Jan 18, 2024

The following product(s) prepared by the named company are certified kosher with the stated requirements:

#### **Spectrum Laboratory Products, Inc.**

S-0032

14422 South San Pedro Street,	Product Name	B1196, BHT, Granular, NF
Gardena, CA 90248	Brand	Spectrum
755-769 Jersey Ave.	UKD-ID	KSAV3-K8J4A64
New Brunswick NJ 08901	D/P/M	P
USA	Symbol Required	KSA
This certificate expires on <b>Feb 01, 2025</b>	Special Conditions	<b>N</b> DA

Rabbi Binyomin Lisbon Kashrus Administrator

Placing the KSA logo on products not listed above constitutes an un-authorized use of the KSA symbol, which is a federally registered trademark.